



# E20-562<sup>Q&As</sup>

VPLEX Specialist Exam for Storage Administrators

**Pass EMC E20-562 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-562.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

How can a VPLEX storage administrator manage array-based attributes?

- A. Device tiers
- B. Storage tiers
- C. Volume tiers
- D. Extent tiers

Correct Answer: B

---

### QUESTION 2

At which stage of configuring a virtual volume on VPLEX is the RAID level defined?

- A. Claimed volume
- B. Device
- C. Storage volume
- D. Extent

Correct Answer: C

Reference: <https://www.emc.com/collateral/white-paper/h13049-provisioning-emc-vplex-integration.pdf>(page 26)

---

### QUESTION 3

A service provider has implemented a VPLEX Metro cluster without VPLEX Witness and has implemented a static rule set. The static rule set has been set to "cluster-2 detaches". A Microsoft Windows host in the Cluster-1 data center uses a distributed volume. However, the WAN COM fails.

What is the result of this failure?

- A. 1. VPLEX suspends I/O to all distributed devices on both clusters
- 2.

VPLEX starts a delay timer

- 3.
- If connectivity is not restored within the timer expiration period, VPLEX resumes I/O on Cluster-2 and keeps I/O suspended on Cluster-1.

- B. 1. VPLEX starts a delay timer



2.

VPLEX suspends I/O to all distributed devices on both clusters

3.

If connectivity is not restored within the timer expiration period, VPLEX resumes I/O on Cluster-1 and keeps I/O suspended on Cluster-2.

C. 1. VPLEX suspends I/O to all distributed devices on both clusters 2.VPLEX starts a delay timer

3. If connectivity is not restored within the timer expiration period, VPLEX resumes I/O on Cluster-1 and keeps I/O suspended on Cluster-2.

D. 1. VPLEX starts a delay timer

2.

VPLEX suspends I/O to all distributed devices on both clusters

3.

If connectivity is not restored within the timer expiration period, VPLEX resumes I/O on Cluster-2 and keeps I/O suspended on Cluster-1.

Correct Answer: C

---

#### QUESTION 4

What is a characteristic of global commands in the VPLEXcli?

- A. Executable from any director
- B. Control tasks running on all directors
- C. Run exclusively from the root context
- D. Accessible from all contexts

Correct Answer: D

Reference: <https://www.dell.com/en-us/collaterals/unauth/technical-guides-support-information/products/storage-3/docu40001.pdf> page 15

---

#### QUESTION 5

LUNs belonging to an ESXi cluster were encapsulated behind VPLEX. What information must be shared with the ESXi administrator so that they can re-discover the datastore and the RDM LUNs?

- A. Virtual volume VPD
- B. UUID of back-end LUN



C. VML ID

D. WWN: WWPN

Correct Answer: D

[E20-562 PDF Dumps](#)

[E20-562 Study Guide](#)

[E20-562 Braindumps](#)