

E20-655^{Q&As}

Isilon Specialist Exam for Platform Engineers

Pass EMC E20-655 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/e20-655.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/e20-655.html 2024 Latest geekcert E20-655 PDF and VCE dumps Download

QUESTION 1

You are troubleshooting LDAP cluster integration.

What could you use to verify that the cluster can communicate to the configured LDAP server?

- A. isi auth
- B. dcpromo
- C. isi sync
- D. isi job

Correct Answer: A

QUESTION 2

A customer wishes to install a new cluster and needs an explanation of the features SmartConnect will provide. Which explanation best represents its features?

- A. SmartConnect manages loads across the cluster by directing connections to nodes.
- B. SmartConnect moves connections from one node to another to balance loads across the cluster.
- C. SmartConnect connects users with nodes based on identity and authorization.
- D. SmartConnect connects users with nodes based on protocols and protocol versions.

Correct Answer: A

QUESTION 3

What is an important consideration when upgrading a cluster from OneFS 6.5.x.x to OneFS 7.0.x.x?

- A. Disk pools may need to be reconfigured.
- B. SmartConnect may need to be reconfigured.
- C. SnapshotIQ may need to be reconfigured.
- D. SmartQuotas will have to be reset.

Correct Answer: A

QUESTION 4

In a rolling upgrade scenario, by default, when will each node reboot?



https://www.geekcert.com/e20-655.html

2024 Latest geekcert E20-655 PDF and VCE dumps Download

- A. Each node will reboot automatically before the upgrade of the next node is initiated.
- B. After all nodes are upgraded, each node will reboot one after the other.
- C. After all nodes are upgraded, a controlled parallel reboot of all nodes is performed.
- D. Each node will need a controlled reboot before the upgrade of the next node is initiated.

Correct Answer: A

QUESTION 5

What is the function of the SmartConnect service IP?

- A. Used by a DNS server to forward SmartConnect zone lookups to the cluster
- B. Defines the name that clients use when connecting to the cluster across the network
- C. Acts as a DNS server IP address to answer questions for top level domain
- D. Resolves cluster names only does not resolve external names

Correct Answer: A

<u>Latest E20-655 Dumps</u> <u>E20-655 Exam Questions</u>

E20-655 Braindumps