



E20-655^{Q&As}

Isilon Specialist Exam for Platform Engineers

Pass EMC E20-655 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-655.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer is using IBM's Tivoli Monitoring management software and reports that SNMP data for the Isilon cluster is indecipherable.

How can this be resolved?

- A. Download Isilon MIBs from the cluster or from Isilon Knowledgebase.
- B. Contact software vendor and request an upgrade to SNMP software
- C. Write a program to convert SNMP numbers to a readable format
- D. Extract records with object identifier of 12124 and process with Excel

Correct Answer: A

QUESTION 2

What type of commands can be run using the command line interface?

- A. Public commands, internal commands and UNIX commands
- B. Masked public commands, windows and non-internal commands
- C. Limited public commands, masked public commands, UNIX commands
- D. Public commands, masked UNIX commands and limited internal commands

Correct Answer: A

QUESTION 3

Which command displays details for a specific event?

- A. isi events show -i
- B. isi events list -i
- C. isi events unquiet -i
- D. isi events notifications list

Correct Answer: A

QUESTION 4

What statement best describes the "isi devices" command?



- A. Displays drive status, serial number and bay number
- B. Displays device firmware information including NVRAM
- C. Node level health check command
- D. Cluster level health check command

Correct Answer: A

QUESTION 5

What is a potential result of increasing the level of logging detail on your cluster?

- A. You could affect the performance of the cluster.
- B. You could fill up the limited space in the /tmp directory.
- C. There is no way to do this without recompiling the kernel.
- D. You will create an unsupported condition on the cluster.

Correct Answer: A

[Latest E20-655 Dumps](#)

[E20-655 VCE Dumps](#)

[E20-655 Brindumps](#)