



# E20-807<sup>Q&As</sup>

Expert - VMAX All Flash and VMAX3 Exam

**Pass EMC E20-807 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-807.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

An administrator implemented SYMAcls on a VMAX3 using hardware-based Access IDs. The administrator is not able to run SYMCLI commands against the volumes belonging to a host. The volumes were originally provisioned using the host in which the host in which the administrator experienced issues.

What is a possible reason for this issue?

- A. SYMAPI options file was manually modified with the wrong host ID
- B. symacl –unique –passphrase was run using a different passphrase
- C. Host is not in the eMgmt Access Group
- D. Host network interface card was replaced

Correct Answer: B

---

### QUESTION 2

In addition to Storage, Hosts, Performance, and Support, what other Unisphere for VMAX sections are available for selection of an individual VMAX3 array?

- A. Data Protection, Database and System
- B. Replication, Database, and System
- C. Data Protection, databases, and Applications
- D. Data Protection, System, and Applications

Correct Answer: A

Reference: <https://uk.emc.com/collateral/TechnicalDocument/docu59483.pdf>

---

### QUESTION 3

What is a Dell EMC recommended best practice when connecting CloudArray to a VMAX3?

- A. Hosts should average at least 2,500 IOPS
- B. Internal SRP should be used
- C. Host I/O limits should be used
- D. Host I/O limits should not be used

Correct Answer: B

---



#### QUESTION 4

On a VMAX3 array, under which type of workload will Selective Cache Mirroring provide significant performance optimization?

- A. Large block Write Miss I/Os
- B. Small block Write Hit I/Os
- C. Large block Read Miss I/Os
- D. Large block Read Hit I/Os

Correct Answer: A

---

#### QUESTION 5

What is a requirement for Non-Disruptive Migration (NDM) to a VMAX All Flash or VMAX3 array?

- A. Application host connected through FC to both arrays
- B. Application host connected through FC to only the source array
- C. Individual NDM licenses on both arrays
- D. eManagement running on both arrays

Correct Answer: A

[Latest E20-807 Dumps](#)

[E20-807 Practice Test](#)

[E20-807 Braindumps](#)