



# E20-807<sup>Q&As</sup>

Expert - VMAX All Flash and VMAX3 Exam

**Pass EMC E20-807 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-807.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Performance analysis on a VMAX3 has shown that the current workload is 15,000 IOPS at an average response time of 13 ms. Workload will increase to 30,000 IOPS.

What will be the response time expectation?

- A. 14 ms
- B. Between 13-26 ms
- C. 26 ms
- D. Greater than 26 ms

Correct Answer: B

---

### QUESTION 2

An existing single engine VMAX3 with two FC ports configured for remote replication will be adding FAST.X to a CloudArray. Currently the array is configured with 32 FC ports which are all in use.

Which steps are required to support a minimum connectivity to the CloudArray?

- A. Identify a port on each director to be used for the DX emulation Remove replication from any devices on the selected ports Delete any volumes presented to those ports
- B. Identify two ports on each director to be used for the DX emulation. Stop all remote replication Delete any volumes presented to those ports.
- C. Identify two ports on a single director to be used for the DX emulation Remove any masking entries related to the director ports
- D. Identify two ports on each director to be used for the DX emulation Remove any masking entries to the director ports.

Correct Answer: B

---

### QUESTION 3

On a VMAX3 array, when will the backend director give equal priority to read miss and destage operations?

- A. At 5% of the System Write Pending Limit
- B. At 50% of the System Write Pending Limit
- C. At 75% of the configured cache in the array
- D. At 75% of the SRDF/A cache usage

Correct Answer: B

---



#### QUESTION 4

Based on business requirements, Concurrent SRDF/Star has been implemented with host infrastructure at the Workload and Asynchronous sites. A disaster fault has occurred. Star query shows:

```
System State:
{
1st_Target_Site           : PathFail
2nd_target_Site          : PathFail
STAR                      : Tripped
Mode of Operation         : Concurrent
}

STAR Information:
{
STAR Consistency Capable  : Yes
STAR Consistency Mode     : STAR
Synchronous Target Site   : SiteB
Asynchronous target Site  : SiteC
Differential Resync Available : Yes
R2 Recoverable            : Yes
Asynchronous target Site Data most Current : Yes
}
}
```

Which site should the workload be moved to and which site's data should be kept?

- A. Switch to the Synchronous site Keep the Synchronous site data
- B. Switch to the Asynchronous site Keep the Asynchronous site data
- C. Switch to the Synchronous site Keep the Asynchronous site data
- D. Switch to the Asynchronous site Keep the Synchronous site data

Correct Answer: D

---

#### QUESTION 5

Which role does the Unisphere for VMAX initial setup user have after the creation of a new user with the "Admin" role?

- A. SecurityAdmin
- B. None
- C. Admin



D. Auditor

Correct Answer: B

[Latest E20-807 Dumps](#)

[E20-807 Study Guide](#)

[E20-807 Braindumps](#)