



E22-285^{Q&As}

VxRail Appliance 4.x Deployment and Implementation Exam

Pass EMC E22-285 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e22-285.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A 4 node VxRail solution will be deployed. Based on the exhibit, what will be the host name assigned to the last node in the cluster?

ESXi hostname prefix	host	MyVxRail
Separator	None or -	-
Iterator	Num 0X (for 01,02,03,04...) or Num X (for 1,2,3,4...) or Alpha (for a,b,c,d...)	Alpha
Domain	localdomain.local	mycompany.com

- A. MyVxRaild.mycompany.com
- B. MyVxRail-4.mycompany.com
- C. MyVxRail-d.mycompany.com
- D. MyVxRail04.mycompany.com

Correct Answer: C

QUESTION 2

A company wants to deploy VxRail on V Series nodes as a proof-of-concept (POC). Only one Top of Rack (ToR) switch has been provided for the POC. What is the Dell EMC best practice recommendation in this situation?

- A. Connect the first host NIC to the ToR switch. Leave the second host NIC un-cabled.
- B. Connect each host NIC to a port on a different switch packet buffer bank on the ToR switch. Balance the ports across two packet buffer banks.
- C. Inform the company that the POC cannot proceed without a second ToR switch.
- D. Connect the first host NIC to the TOR switch. Daisy chain the second NIC between hosts.

Correct Answer: B

QUESTION 3

Which vSAN features are specific to an all-flash model VxRail?

- A. Erasure Coding and Stretch Clustering
- B. Thin Swap Objects and Stretch Clustering
- C. Deduplication/Compression and Thin Swap Objects



D. Deduplication/Compression and Erasure Coding

Correct Answer: D

QUESTION 4

When adding an S Series node to a Gen 2 VxRail 240F cluster the build fails. What could be a possible cause of this situation?

- A. IP Pool has no more free addresses
- B. Hybrid and Flash nodes cannot be mixed in the same cluster
- C. Quanta and Dell hardware cannot be mixed in the same cluster
- D. Loudmouth process needs to be restarted

Correct Answer: B

QUESTION 5

What is a characteristic of vSAN Erasure Coding?

- A. Used for Garbage Collection on all-flash VxRail clusters
- B. Is a DoD certified individual drive cleaning tool to facilitate drive replacement
- C. Used to securely erase vSAN storage to facilitate node replacement
- D. Is a Raid 5/6-like storage policy

Correct Answer: D

[Latest E22-285 Dumps](#)

[E22-285 VCE Dumps](#)

[E22-285 Practice Test](#)