



# ECP-383<sup>Q&As</sup>

Ericsson Certified Associate - Radio Network Optimization

## Pass Ericsson ECP-383 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ecp-383.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Ericsson  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which two statements are correct about voice quality in a VoLTE network? (Choose two.)

- A. Increasing jitter will improve voice quality.
- B. Increasing silent gaps in the received audio signal will improve voice quality.
- C. Decreasing jitter will Improve voice quality.
- D. Decreasing silent gaps in the received audio signal will improve voice quality.

Correct Answer: CD

---

#### QUESTION 2

Which two statements are true about the Antenna Integrated Radio (AIR)? (Choose two.)

- A. The AIR is a hardware unit that integrates the radio and the antenna.
- B. The AIR replaces the digital/baseband unit.
- C. The AIR in an LTE system is directly connected with the MME using the SI interface.
- D. The AIR can replace the standard RU/RRU and antenna.

Correct Answer: AD

---

#### QUESTION 3

What is a cause of degradation in the RSRQ of a serving cell?

- A. thermal noise
- B. average power transmitted by the UE
- C. periodic measurement report transmissions in the serving cell
- D. SIB transmissions sent by the UE

Correct Answer: A

---

#### QUESTION 4

Which statement is correct about network slicing?

- A. Network slicing is a splitting of end users between competing operators in small population markets.
- B. Network slicing is a customized division of a cellular network designed to allow end users to control allocation of



network resources between themselves.

C. Network slicing is a separation of network architecture between vendors in a multivendor network.

D. Network slicing is a movement of network functions between aggregation layers to meet performance requirements for specific use cases.

Correct Answer: D

---

#### QUESTION 5

Caller A is on a VoLTE call with Caller B. Suddenly Caller A is no longer able to hear Caller B but Caller B can hear Caller A.

Which two call legs and directions should be analyzed first in this scenario? (Choose two.)

A. the Caller B downlink

B. the Caller A uplink

C. the Caller A downlink

D. the Caller B uplink

Correct Answer: CD

[ECP-383 Practice Test](#)

[ECP-383 Study Guide](#)

[ECP-383 Exam Questions](#)