



# ECP-383<sup>Q&As</sup>

Ericsson Certified Associate - Radio Network Optimization

**Pass Ericsson ECP-383 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ecp-383.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Ericsson  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

What are two advantages of using the Data Forwarding at Intra-LTE Handover feature? (Choose two.)

- A. Data is received from two cells at the same time.
- B. Packet loss is minimized during handovers.
- C. TCP performance is improved.
- D. User data can be forwarded directly between UEs over Wi-Fi.

Correct Answer: AB

---

#### QUESTION 2

What is the purpose of the Location/Tracking Area update?

- A. It is used to locate the UEs in idle mode.
- B. It is used to internally locate UEs during on-going calls.
- C. It is used to locate the originating UE.
- D. It is used to locate the best IRAT cells.

Correct Answer: A

---

#### QUESTION 3

What are two benefits provided by the introduction of GPRS/EGPRS Downlink Power Control in a GSM network? (Choose two.)

- A. reduced power consumption in RBS
- B. reduced downlink interference levels in the system
- C. reduced uplink interference levels in the system
- D. increased PS accessibility

Correct Answer: BD

---

#### QUESTION 4

What is a purpose of Radio Resource Management (RRM) parameter optimization tools?

- A. coverage predictions




- B. azimuth adjustment
- C. geo-location procedures
- D. traffic balancing

Correct Answer: D

### QUESTION 5

Review the exhibit.



What is the EIRP of the transmitter shown in the exhibit?

- A. 57.5 dBm
- B. 42.5 dBm
- C. 40 dBm
- D. 46 dBm

Correct Answer: A

[ECP-383 VCE Dumps](#)

[ECP-383 Exam Questions](#)

[ECP-383 Brindumps](#)