



# F50-531<sup>Q&As</sup>

BIG-IP v10.x LTM Essentials V10.x

## Pass F5 F50-531 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/f50-531.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

When upgrading a BIG-IP redundant pair, what happens when one system has been updated but the other has not?

- A. Synching should not be performed.
- B. The first system to be updated will assume the Active role.
- C. This is not possible since both systems are updated simultaneously.
- D. The older system will issue SNMP traps indicating a communication error with the partner.

Correct Answer: A

---

#### QUESTION 2

Assuming there are open connections through an active system's virtual servers and a fail-over occurs, by default, what happens to the connections?

- A. All open connections are lost.
- B. All open connections are maintained.
- C. When persistence mirroring is enabled, open connections are maintained even if a fail-over occurs.
- D. Long-lived connections such as Telnet and FTP are maintained, but short-lived connections such as HTTP are lost.
- E. All open connections are lost, but new connections are initiated by the newly active BIG-IP, resulting in minimal client downtime.

Correct Answer: A

---

#### QUESTION 3

Assume a virtual server has a ServerSSL profile. What SSL certificates are required on the BIG-IP?

- A. No SSL certificates are required on the BIG-IP.
- B. The BIG-IP's SSL certificates must only exist.
- C. The BIG-IP's SSL certificates must be issued from a certificate authority.
- D. The BIG-IP's SSL certificates must be created within the company hosting the BIG-IPs.

Correct Answer: A

---

#### QUESTION 4

Assume the bigd daemon fails on the active system. Which three are possible results? (Choose three.)



- A. The active system will restart the bigd daemon and continue in active mode.
- B. The active system will restart the tmm daemon and continue in active mode.
- C. The active system will reboot and the standby system will go into active mode.
- D. The active system will fail-over and the standby system will go into active mode.
- E. The active system will continue in active mode but gather member and node state information from the standby system.

Correct Answer: ACD

---

#### QUESTION 5

A BIG-IP has a virtual server at 150.150.10.10:80 with SNAT automap configured. This BIG-IP also has a SNAT at 150.150.10.11 set for a source address range of 200.200.1.0 / 255.255.255.0. All other settings are at their default states. If a client with the IP address 200.200.1.1 sends a request to the virtual server, what is the source IP address when the associated packet is sent to the pool member?

- A. 200.200.1.1
- B. 150.150.10.11
- C. Floating self IP address on VLAN where the packet leaves the system
- D. Floating self IP address on VLAN where the packet arrives on the system

Correct Answer: C

[Latest F50-531 Dumps](#)

[F50-531 Practice Test](#)

[F50-531 Exam Questions](#)