

F50-531^{Q&As}

BIG-IP v10.x LTM Essentials V10.x

Pass F5 F50-531 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/f50-531.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/f50-531.html

2024 Latest geekcert F50-531 PDF and VCE dumps Download

QUESTION 1

Which statement is true regarding fail-over?

- A. Hardware fail-over is disabled by default.
- B. Hardware fail-over can be used in conjunction with network failover.
- C. If the hardware fail-over cable is disconnected, both BIG-IP devices will always assume the active role.
- D. By default, hardware fail-over detects voltage across the fail-over cable and monitors traffic across the internal VLAN.

Correct Answer: B

QUESTION 2

Which statement is true concerning cookie persistence?

- A. Cookie persistence allows persistence independent of IP addresses.
- B. Cookie persistence allows persistence even if the data are encrypted from client to pool member.
- C. Cookie persistence uses a cookie that stores the virtual server, pool name, and member IP address in clear text.
- D. If a client\\'s browser accepts cookies, cookie persistence will always cause a cookie to be written to the client\\'s file system.

Correct Answer: A

QUESTION 3

A BIG-IP has two load balancing virtual servers at 150.150.10.10:80 and 150.150.10.10:443. The port 80 virtual server has SNAT auto-map configured. There is also a SNAT configured at 150.150.10.11 set for a source address range of 200.200.1.0 / 255.255.255.0. All other settings are at their default states. If a client with the IP address 200.200.1.1 sends a request to https://150.150.10.10, what is the source IP address when the associated packet is sent to the pool member?

- A. 200.200.1.1
- B. 150.150.10.11
- C. Floating self IP address on VLAN where the packet leaves the system
- D. Floating self IP address on VLAN where the packet arrives on the system

Correct Answer: B

QUESTION 4



https://www.geekcert.com/f50-531.html 2024 Latest geekcert F50-531 PDF and VCE dumps Download

What is required for a virtual server to support clients whose traffic arrives on the internal VLAN and pool members whose traffic arrives on the external VLAN?

- A. That support is never available.
- B. The virtual server must be enabled for both VLANs.
- C. The virtual server must be enabled on the internal VLAN.
- D. The virtual server must be enabled on the external VLAN.

Correct Answer: C

QUESTION 5

Which two statements are true about SNATs? (Choose two.)

- A. SNAT\\'s are enabled on all VLANs, by default.
- B. SNAT\\'s can be configured within a Profile definition.
- C. SNAT\\'s can be configured within a Virtual Server definition.
- D. SNAT\\'s are enabled only on the VLAN where origin traffic arrives, by default

Correct Answer: AC

F50-531 Study Guide

F50-531 Exam Questions

F50-531 Braindumps