



# F50-536<sup>Q&As</sup>

BIG-IP ASM v10.x

## Pass F5 F50-536 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/f50-536.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A security audit has determined that your web application is vulnerable to a cross-site scripting attack. Which of the following measures are appropriate when building a security policy? (Choose 2)

- A. Cookie length must be restricted to 1024 bytes.
- B. Attack signature sets must be applied to any user input parameters.
- C. Parameter data entered for explicit objects must be checked for minimum and maximum values.
- D. Parameter data entered for flow-level parameters must allow some meta-characters but not others.

Correct Answer: BD

---

### QUESTION 2

Which of the following mitigation techniques is based on anomaly detection? (Choose 2)

- A. Brute force attack prevention
- B. Cross-site request forgery prevention
- C. Web scraping attack prevention
- D. Parameter tampering prevention

Correct Answer: AC

---

### QUESTION 3

Which of the following is not a feature of a standalone BIG-IP ASM System?

- A. Attack signatures
- B. Multiple pool members
- C. Positive security model
- D. Real-time traffic policy builder
- E. Pre-defined security policy templates

Correct Answer: B

---

### QUESTION 4

Which of the following does not pertain to protecting the Requested Resource (URI) element?



- A. File type validation
- B. URL name validation
- C. Domain cookie validation
- D. Attack signature validation

Correct Answer: C

---

#### QUESTION 5

Which statement is correct concerning differences between BIG-IP ASM platforms?

- A. The 3900 has more ports than the 6800.
- B. The 3900 and 6800 have the same number of ports.
- C. The 3900 and 6800 can support both the module and standalone versions of BIG-IP ASM.
- D. The 3900 can support both module and standalone versions of BIG-IP ASM whereas the 6800 can support only the module version of BIG-IP ASM.

Correct Answer: D

[Latest F50-536 Dumps](#)

[F50-536 PDF Dumps](#)

[F50-536 Brindumps](#)