

H11-879^{Q&As}

HCIE-Collaboration (Written) V2.0

Pass Huawei H11-879 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/h11-879.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/h11-879.html

2024 Latest geekcert H11-879 PDF and VCE dumps Download

QUESTION 1

Using the VPC620 camera, the OSD image interface image as shown in the figure appears on the display screen, the following description is correct () (multiple choice)

- A. This OSD interface is caused by the TV settings and needs to modify the TV configuration
- B. This OSD interface displays camera information, which is only displayed in local mode, not in remote mode
- C. Press the mode button of the camera to cancel this OSD interface
- D. Press the delete button on the remote control twice in succession to cancel this OSD interface

Correct Answer: BD

QUESTION 2

Huawei TE series terminals make point-to-point calls, and the video-related settings are all "automatic", the following statement. The correct one () (multiple choice)

- A. In the case of sufficient bandwidth, the main video is given priority to the 1080P60 format.
- B. In the case of sufficient bandwidth, the main video is given priority to the 1080P30 format
- C. In the case of sufficient bandwidth, 720P60 format is preferred for the main video
- D. In the case of sufficient bandwidth, 720P30 format is preferred for the main video

Correct Answer: ABD

QUESTION 3

In the converged conference MCU central networking mode, what method does the eSpace PC support to join the conference directly with the chairman authority? () (multiple choice)

- A. Key in the conference list
- B. Dial in
- C. Join by email link
- D. Invitation from outside

Correct Answer: ABC

QUESTION 4

A single Media board of VP9660 MCU can support up to () 1080P 30 ports?



https://www.geekcert.com/h11-879.html

2024 Latest geekcert H11-879 PDF and VCE dumps Download

A. 12

B. 36

C. 24

D. 8

Correct Answer: C

QUESTION 5

Hold a 720P30 conference with low frame rate secondary stream, the recommended conference bandwidth is 768Kbps, and the recommended network. The bandwidth is 1.5 times the conference bandwidth. () Correct or Wrong

A. Correct

B. Wrong

Correct Answer: A

H11-879 VCE Dumps

H11-879 Practice Test

H11-879 Study Guide