

H12-224^{Q&As}

HCIP-Routing & Switching (Fast Track) V2.0

Pass Huawei H12-224 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/h12-224.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/h12-224.html

2024 Latest geekcert H12-224 PDF and VCE dumps Download

QUESTION 1

OSPF supports two authentication modes: area authentication and interface authentication. The two authentication modes cannot be configured at the same time.

- A. True
- B. False

Correct Answer: B

QUESTION 2

Which of the following statements regarding IP address 224.0.0.1 are correct? (Choose two.)

- A. It is a multicast IP address.
- B. It is a private IP address.
- C. It represents all the hosts and routers.
- D. It represents all the routers.

Correct Answer: AC

QUESTION 3

Which statements about the PVID on the access interface are true?

A. When receiving a packet without the VLAN tag, the interface adds the VLAN tag to the packet and sets the VID in the tag to the default VLAN ID.

- B. When receiving a packet with a VLAN tag, the interface compares the VLAN ID in the tag with the default VLAN ID. If they are the same, the interface forwards the packets; otherwise, the interface discards the packets.
- C. When the interface sends a packet with a VLAN tag that contains the default VLAN ID, the system removes the VLAN tag of the packet, and then forwards the packet.
- D. None of the above.

Correct Answer: ABC

QUESTION 4

Which of the following information do you check to directly identify a fault in the firewall if the data transmission is interrupted?

A. Session table



https://www.geekcert.com/h12-224.html

2024 Latest geekcert H12-224 PDF and VCE dumps Download

B. Log

C. Global statistics about the firewall

D. Alarms

Correct Answer: A

QUESTION 5

For link-status routing protocols, filtering routes in the inbound direction actually cannot block the transmission of link-status information. The filtering effect is that routes cannot be injected into the local routing table but neighbors can still receive complete route status information and calculate complete routes.

A. True

B. False

Correct Answer: A

Latest H12-224 Dumps

H12-224 VCE Dumps

H12-224 Study Guide