



H12-261^{Q&As}

HCIE-Routing & Switching (Written) V3.0

Pass Huawei H12-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/h12-261.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

As shown in the figure, two IPv6 networks need to access the IPv4 network. An IPsec tunnel needs to be established between the two IPv6 networks to enable communication. Which of the following encapsulation modes can meet the preceding requirements?



- A. AH+ transmission mode
- B. AH+ tunnel mode
- C. ESP+ tunnel mode
- D. All the preceding options are incorrect

Correct Answer: D

QUESTION 2

Which of the following statements regarding 802.1s deployment is true?

- A. Multiple bridges share a spanning tree instance.
- B. Each VLAN owns a spanning tree instance.
- C. Multiple VLANs share a spanning tree instance.
- D. All VLANs share a spanning tree instance.

Correct Answer: D

QUESTION 3

What advantages does IGMPv2 have over IGMPv1?

- A. The Source-Specific Query message is added.
- B. The Group-Specific Query message is added.
- C. The Leave message is added.



D. The maximum response time field is added.

Correct Answer: C

QUESTION 4

Which of the following statements regarding the inter-AS MPLS VPN are false?

- A. In inter-AS VPN Option B mode, an MP-EBGP peer relationship needs to be established between two ASBRs.
- B. In inter-AS VPN Option B mode, two ASBR-PEs are interconnected through multiple interfaces (including sub-interfaces), each interface is associated with one VPN, and each ASBR-PE considers the remote device as a CE.
- C. In inter-AS VPN Option A mode, the routes advertised between two ASBRs are common IPv4 routes.
- D. In inter-AS VPN Option C solution 2, if only LDP is used to advertise public network labels, three labels need to be used during packet forwarding.

Correct Answer: C

QUESTION 5

Which of the following descriptions of the most various routes is correct is which option is preferred for the agreement election?

- A. OSPF LSDP IP will put all routing information in the routing table.
- B. The route that is not reachable in the next hop in BGP IP will also be placed in the routing table.
- C. From the different routing entries from the learning to the same destination network segment, the BGP OSPF preference of the comparison is better than the protocol value.To routing table IP
- D. BGP cost protocol is better than the value of the routing entry. The best route to the same destination network segment.

Correct Answer: C

[H12-261 VCE Dumps](#)

[H12-261 Study Guide](#)

[H12-261 Exam Questions](#)