H12-261$^{Q\&As}$

HCIE-Routing & Switching (Written) V3.0

Pass Huawei H12-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/h12-261.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Level 1-2 IS can transmit Level-2 LSPs to level-1 area If the ATT bit in the Level-2 LSPs is set to 1, the Level-1 IS in the area can communicate with devices in other area through the Level 1-2 IS.

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 2

Which message is sent to the NMS SNMP? The event is a reliable report.

A. Response

B. Trap

C. Inform

D. Get

E. Get Bulk

Correct Answer: C

QUESTION 3

A BD in a VXLAN can map to multiple VNIs.

A. TRUE

B. FALSE

Correct Answer: B

QUESTION 4

Which of following statements regarding VRRP groups in load balancing mode are true?

A. Hosts in the same LAN need to be configured with different virtual routers as their default gateways

B. At least two virtual routers need to provide forwarding services simultaneously

C. When configuring the priority, ensure that the same router functions as the master device for three VRRP groups

D. Multiple VRRP groups can be created on an interface of a router. The router functions as a master device of a VRRP group or a backup device of other VRRP groups

Correct Answer: ABD

QUESTION 5

The following is not a routing role? EVPN Type2

A. Host Address Notification MAC

B. Host Announcement ARP

C. BUM News Forwarding

D. Host Route Advertisement IP

Correct Answer: C

H12-261 PDF Dumps   H12-261 Exam Questions   H12-261 Braindumps