



H12-811^{Q&As}

HCIA-Datacom V1.0

Pass Huawei H12-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/h12-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

VRP operating system commands are divided into four levels: access level, monitoring level, configuration level, and management level. Which level can run various business configurations and set commands but cannot operate the file system?

- A. Configuration level
- B. Access level
- C. Management level
- D. Monitoring level

Correct Answer: A

QUESTION 2

Which of the following advantages does the single-arm routing method achieve routing intercommunication between Vlan? ()

- A. Reduce the number of equipment
- B. Reduce routing table entries
- C. Reduce the use of IP addresses
- D. Reduce the number of chain connections

Correct Answer: D

QUESTION 3

An AR2200 router needs to restore the initial configuration, which of the following operations are necessary? (*)

- A. Clear current configuration
- B. Re-specify the configuration file to be loaded at the next startup
- C. Reset saved.configuration
- D. Restart the AR2200 router

Correct Answer: CD

QUESTION 4




When AP and MC are in different Layer 3 networks, what method is recommended for AP to discover AC?

- A. DHCP
- B. DNS
- C. Broadcasting method
- D. Manually specified on AP

Correct Answer: C

QUESTION 5

In the network shown in the figure below, what commands can be entered on the router to make host A ping host B through? ()



- A. RTA:ip route-static 0.0.0.0 0.0.0.0 11.0.12.2 RTB:ip route-static 0.0.0.0 0.0.0.0 11.0.12.1
- B. RTA:ip route-static 10.0.12.5 255.255.255.252 11.0.12.2 RTB: route-static 10.0.12.1 255.255.255.252 11.0.12.1
- C. RTA:ip route-static 0.0.0.0 0.0.0.0 11.0.12.1 RTB:ip route-static 0.0.0.0 0.0.0.0 11.0.12.2
- D. RTA:ip route-static 10.0.12.5 255.255.255.252 11.0.12.1 RTB:ip route-static 10.0.12.1 255.255.255.252 11.0.12.2

Correct Answer: AB

[H12-811 VCE Dumps](#)

[H12-811 Practice Test](#)

[H12-811 Exam Questions](#)