



H12-821^{Q&As}

HCIP-Datacom-Core Technology V1.0

Pass Huawei H12-821 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/h12-821.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When two routers exchange LSDB information using DD packets, a master/slave relationship is formed first, the router with a larger router ID is the master, and determine the MS bit.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 2

The filter-policy 2000 export command is run in an ISIS process. Which of the following statements about the functions of a filter policy is false?

- A. Is used together with the route import function to advertise some imported external routes to neighbors.
- B. If this command is not run, the device by default advertises all routes that ISIS Imports from external routing protocols.
- C. Controls the advertisement of routes generated by the device.
- D. Filters LSPs to be advertised.

Correct Answer: B

QUESTION 3

A local router runs IS-IS and its command output is shown in the following figure. Which of the following statements is true?



```
<R1>display isis interface verbose
Interface information for ISIS(1)
-----
Interface      Id      IPV4.State      IPV6.State      Type  DIS
S4/0/0         001      Up              Down            L1
Circuit MT State : Standard
IP Address       : 10.0.12.1
Csnp Timer Value : L12  10
Hello Timer Value : 10
DIS Hello Timer Value :
Hello Multiplier Value : 3
Cost             : L1  10 L2  10
Ipv6 Cost        : L1  10 L2  10
Retransmit Timer Value : L12  5
Extended-Circuit-Id Value : 0000000001
```

- A. The circuit level of S4/0/0 is Level-1.
- B. S4/0/0 supports IPv6.
- C. S4/0/0 sends IIH packets at the interval of 30s.
- D. The cost of S4/0/0 is 20.

Correct Answer: C

QUESTION 4

Which of the following TLVs is used by ISIS to describe the IP address of an interface?

- A. 129
- B. 131
- C. 128
- D. 132

Correct Answer: D

QUESTION 5

What parameters can a DHCPv6 server assign to a DHCPv6 client?

- A. Gateway address
- B. DNS server address



C. IPV6 address/prefix

D. SNTP server address

Correct Answer: D

[H12-821 Practice Test](#)

[H12-821 Exam Questions](#)

[H12-821 Braindumps](#)