H12-821^Q&As

HCIP-Datacom-Core Technology V1.0

Pass Huawei H12-821 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/h12-821.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

An engineer sets the CAPWAP heartbeat detection interval to 20 of the active link before an active/standby switchover occurs?

A. 75s

B. 20s

C. 60s

D. 90s

Correct Answer: B

QUESTION 2

DRAG DROP

What is the correct procedure for a VLAN pool to assign terminals to VLANs.

Select and Place:

The STA accesses the network through the assigned VLAN.	1
The VLAN pool bound to the VAP is determined, and the VLAN assignment algorithm is specified.	2
The STA accesses a VAP.	3
The STA is assigned to a VLAN based on the specified algorithm.	4

Correct Answer:

	The STA accesses the network through the assigned VLAN.
	The VLAN pool bound to the VAP is determined, and the VLAN assignment algorithm is specified.
	The STA accesses a VAP.
	The STA is assigned to a VLAN based on the specified algorithm.

QUESTION 3

A local router runs IS-IS and its command output is shown in the following figure. Which of the following statements is true?

```
<R1>display isis interface verbose
            Interface information for ISIS(1)
         --------------------------------
   Interface      Id     IPV4.State        IPV6.State     Type DIS
   S4/0/0        001      Up                Down           L1
     Circuit MT State           : Standard
     IP Address                 : 10.0.12.1
     Csnp Timer Value           : L12   10
     Hello Timer Value          :     10
     DIS Hello Timer Value      :
     Hello Multiplier Value     :     3
     Cost                       : L1     10 L2     10
     Ipv6 Cost                  : L1     10 L2     10
     Retransmit Timer Value     : L12    5
     Extended-Circuit-Id Value  : 0000000001
```

A. The circuit level of S4/0/0 is Level-1.

B. S4/0/0 supports IPv6.

C. S4/0/0 sends IIH packets at the interval of 30s.

D. The cost of S4/0/0 is 20.

Correct Answer: C

QUESTION 4

In the OSPF protocol, inter-area route calculation involves only Router LSA, Network LSA, and Summary LSA.

A. TRUE

B. FLASE

Correct Answer: A

QUESTION 5

Which of the following statements is false?

A. If the current DR fails, the current BDR automatically becomes a new DR, and a BDR will be elected again.

B. A device with a higher router priority has a higher election priority.

C. When a router with the highest router priority joins an OSPF network, this router will become the new DR.

D. If two devices have the same router priority, the device with a larger router ID has a higher election priority.

Correct Answer: A

Latest H12-821 Dumps   H12-821 Practice Test   H12-821 Braindumps