



H12-831^{Q&As}

HCIP-Datacom-Advanced Routing & Switching Technology V1.0

Pass Huawei H12-831 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/h12-831.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When there are multiple redundant links in the IS-S network, multiple equal-cost routes may appear. Which of the following statements is false about equal-cost routing within an IS-IS network?

- A. When the number of equal-cost routes in the network is greater than the number configured by the command, and these routes have the same priority, Preferred next hop deviceSystem IDLarge routes for load balancing
- B. If load sharing is configured, the traffic will be evenly distributed to each link
- C. After configuring equal-cost route priorityJS-ISWhen the device forwards the traffic reaching the destination network segment, it will not adopt the load balancing method, but forward the traffic to the next hop with the highest priority
- D. For each route in the equal-cost route, a priority can be specified, and the route with higher priority will be preferred. the rest as backup routes

Correct Answer: C

QUESTION 2

The security protection actions that a secure MAC address can perform does not include which of the following?

- A. Protect
- B. Restrict
- C. Shutdown
- D. Remark

Correct Answer: D

QUESTION 3

As shown below:



Repeated System ID : 17

Bad Circuit Type:0

Longer packet :0

More Area Addr :0

Longer Area Addr :0

Bad Area Addr TLV : 0

More IF Addr :0

Bad Formatted IF TLV : 0

Mismatched Area Addr(L1): 0

Mismatched Proto : 0

SNPA Conflicted (LAN): 0

Mismatched Level : 0

Mismatched Max Area Addr 0

Bad Authentication 0

- A. R3andR1ofIS-LevelMismatch
- B. R3andR1different area codes
- C. R3andR1ofIIHAuthentication failed
- D. R3andR1ofSystem

Correct Answer: C

QUESTION 4

What is the most efficient way to view device alarms through the CLI?

- A. display interface brief
- B. display clock
- C. display alarm
- D. display current-configuration

Correct Answer: C

QUESTION 5

The Discovery message of LDP is used for neighbor discovery, and LDP has different discovery mechanisms when discovering neighbors. The following statement about the Discovery message in the basic discovery mechanism is correct



- A. TCPAfter the connection is establishedD. LSRdo not continue sendingHello Message
- B. Purpose of the messageIPaddress is multicastIPaddress224.0.0.2
- C. This message is encapsulated inUDPIn the message, the destination port number is646
- D. The message is sent to the specifiedLDP Peer

Correct Answer: BC

[H12-831 Practice Test](#)

[H12-831 Exam Questions](#)

[H12-831 Braindumps](#)