

H12-831^{Q&As}

HCIP-Datacom-Advanced Routing & Switching Technology V1.0

Pass Huawei H12-831 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/h12-831.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/h12-831.html

2024 Latest geekcert H12-831 PDF and VCE dumps Download

QUESTION 1

When deploying BGPIMPLS IPVPN, when two VPNs have a common site, the common site must not use overlapping address space with other sites of the two VPNs.

- A. True
- B. False

Correct Answer: B

QUESTION 2

Senior engineers with rich experience can quickly solve faults only by experience, with high efficiency.

A. True B. False

Correct Answer: A

QUESTION 3

As shown below:

Repeated System ID: 17 Bad Circuit Type:0

Longer packet :0 More Area Addr :0

Longer Area Addr :0 Bad Area Addr TLV: 0

More IF Addr :0 Bad Formatted IF TLV: 0

Mismatched Area Addr(L1): 0 Mismatched Proto: 0

SNPA Conflicted (LAN): 0 Mismatched Level: 0

Mismatched Max Area Addr 0 Bad Authentication 0

- A. R3andR1ofIS-LevelMismatch
- B. R3andR1different area codes
- C. R3andR1ofIIHAuthentication failed

VCE & PDF GeekCert.com

https://www.geekcert.com/h12-831.html


2024 Latest geekcert H12-831 PDF and VCE dumps Download


D. R3andR1ofSystem

Correct Answer: C

QUESTION 4

An engineer uses two routers to test IPv6 services, and runs 0SPFv3 to implement IPv6 network interconnection. R1 is required to be able to access the loopback interface address of R2. The engineer checked the OSPFv3 routing table entry of R1, as shown in the figure, and found that there was no route to the loopback interface address of R2. Which of the following reasons could not be the cause?





- A. R2 advertises the loopback interface into different OSPFv3 processes
- B. R2 does not have 0SPFv3 enabled on the loopback interface
- C. R2 does not use network to advertise loopback address in area 0
- D. R2 is not configured with the Router ID used in the OSPFv3 process

Correct Answer: B

QUESTION 5

https://www.geekcert.com/h12-831.html

2024 Latest geekcert H12-831 PDF and VCE dumps Download

From this figure, it can be known that A. R1access172.17.1.5There is a loop

| 1 10.1.12.2 40 ms | 1 O ms | 1 O ms |
|--------------------|--------|--------|
| 2 10.1.24.2 30 ms | 20 ms | 20 ms |
| 3 10/134 1 20 ms | 20 ms | 20 ms |
| A 10.1.1 3.1 20 ms | 20 ms | 1 O ms |
| 5 10/1.12.2 20 ms | 30 ms | 20 ms |
| 6 10.1.24, 2 30 ms | 30 ms | 30 ms |
| 10.134-1 50 ms | 40 ms | 40 ms |
| 8 IO 1.13.1 20 ms | 30 ms | 30 ms |

9 10.1.1 2.2 50 ms 40 ms 40 ms

B. R1have access172.17.1 5routing

C. R1no access172.17.1.5routing

D. R1access172.17.1.5There is no problem with the path

Correct Answer: AB

H12-831 VCE Dumps

H12-831 Practice Test

H12-831 Study Guide