

# H13-622<sup>Q&As</sup>

HCNP-Storage-CBDS (Constructing Big Data Storage)

## Pass Huawei H13-622 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/h13-622.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# VCE & PDF GeekCert.com

#### https://www.geekcert.com/h13-622.html

2024 Latest geekcert H13-622 PDF and VCE dumps Download

#### **QUESTION 1**

Which of the following statements about the file sharing protocols of the OceanStor 9000 are correct? (Select three)

- A. The OceanStor 9000 supports NFS and CIFS file sharing protocols.
- B. The OceanStor 9000 is compatible with various operating systems, allowing file resource sharing in a heterogeneous network environment.
- C. The sharing is by files.
- D. The sharing service supports automatic load balancing.

Correct Answer: ABD

#### **QUESTION 2**

For N800 V200R001, you can log in to the storage system using the support account and run fsck -t vxfs -o full -y /dev/vx/dsk/sfsdg/fs001 to implement full verification for the fs00l file system.

- A. True
- B. False

Correct Answer: A

#### **QUESTION 3**

In the IB networking solution of the OceanStor 9000, which of the following statements about the IP address planning of the front-end service network is correct?

- A. Two static IP addresses on the front-end service network must be planned for each node.
- B. Four dynamic IP addresses on the front-end service network must be allocated to each node for the IP address pool used by the InfoLink function.
- C. One InfoLink DNS IP address on the front-end service network must be planned.
- D. One floating IP address on the front-end service network must be planned for each node.

Correct Answer: D

#### **QUESTION 4**

The InfoLink function is enabled on an OceanStor 9000 storage system. If the node to which a client connects becomes faulty and a failover occurs, which of the following statements is incorrect?

A. If the client accesses a shared directory through CIFS, the failover will cause disconnection and the client will need to reconnect to the storage system.



### https://www.geekcert.com/h13-622.html

2024 Latest geekcert H13-622 PDF and VCE dumps Download

B. If the client accesses a shared directory through NFS V4, the failover will cause disconnection and the client will need to reconnect to the storage system.

- C. If the client accesses a shared directory through NFS V4, the failover will not affect the connection.
- D. If the client accesses a shared directory through NFS V3, the failover will not affect the connection.

Correct Answer: C

#### **QUESTION 5**

The flexible space of the OceanStor 9000 is attributed to the scale-out architecture, scalability from 3 to 288 nodes, and support for global namespace.

A. True

B. False

Correct Answer: A

H13-622 VCE Dumps

H13-622 Study Guide

H13-622 Exam Questions