



H13-622^{Q&As}

HCNP-Storage-CBDS (Constructing Big Data Storage)

Pass Huawei H13-622 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/h13-622.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which authentication modes are supported by the NFS service of Huawei OceanStor 9000? (Choose all that apply.)

- A. AD domain authentication
- B. LDAP domain authentication
- C. Local authentication
- D. Global authentication
- E. NIS authentication

Correct Answer: BE

QUESTION 2

Which of the following statements about the software installation of the OceanStor 9000 are correct? (Select two.)

- A. Before installing software, configure switches on the back-end storage network and the management network.
- B. The OceanStor Toolkit must be installed on all storage nodes.
- C. The OceanStor SystemReporter can be installed on any Windows server with qualified hardware and software.
- D. You must purchase a license for the OceanStor SystemReporter.

Correct Answer: AC

QUESTION 3

Which of the following statements about management ports on C72 nodes are correct? (Choose all that apply.)

- A. When the OceanStor 9000 cluster contains only C72 nodes and the number of C72 nodes is not smaller than three, each controller module A of the first three nodes provides one NIC0 port as the management port.
- B. When the C72 nodes and the non-C72 nodes are deployed together, you can select C72 nodes to provide independent management network ports.
- C. When the C72 nodes and the non-C72 nodes are deployed together and applied to object storage service, only the node that provides independent management network ports can serve as an object storage management node.
- D. When deploying a storage cluster, you need to separately assign an IP address to port NIC0 on the C72 node in the cluster.

Correct Answer: AC

QUESTION 4



When planning IP addresses for the back-end storage network of the OceanStor 9000 which uses IB networking, you must plan two back-end storage IP addresses and one temporary IP address for each node.

- A. True
- B. False

Correct Answer: A

QUESTION 5

What method is used by the OceanStor 9000 object storage service (compatible with Amazon S3) to store and search data?

- A. Directory tree
- B. DHT
- C. URL
- D. K-d tree

Correct Answer: C

[Latest H13-622 Dumps](#)

[H13-622 PDF Dumps](#)

[H13-622 VCE Dumps](#)