

## H31-124\_V2.0<sup>Q&As</sup>

**HCIP Carrier IP V2.0** 

# Pass Huawei H31-124\_V2.0 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/h31-124\_v2-0.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



#### https://www.geekcert.com/h31-124\_v2-0.html 2024 Latest geekcert H31-124\_V2.0 PDF and VCE dumps Download

### GeekCert.com

#### **QUESTION 1**

Tho	Ethornot switch	working in store	and forward	l modo drone	the frame with	longth cma	llor than 64	hytoc
rne	Einernei Switch	i workina in Store	and forward	i mode drobs	the frame with	iendin sma	aller than 64	bytes.

- A. True
- B. False

Correct Answer: A

#### **QUESTION 2**

Affinity attributes is link attributes in MPLS TE, it is configured under physical interface.

- A. True
- B. False

Correct Answer: A

#### **QUESTION 3**

Which of the following statements about the priority of zone in the Eudemon are correct?

- A. The priority of the Trust zone is 80
- B. The priority of the Untrust zone is 15
- C. The priority of the DMZ is 50
- D. The priority of the Local zone is 100

Correct Answer: BCD

#### **QUESTION 4**

How does MPLS BGP VPN handle the problem of address overlapping of different VPN sites?

- A. To use different routing protocols In the backbone network for afferent VPN.
- B. To maintain separate VRF lor different VPN.
- C. To allocate unique RT for each VPN.
- D. To allocate different LSP for each VPN.
- E. To allocate unique RD for each VPN.

Correct Answer: A

#### https://www.geekcert.com/h31-124\_v2-0.html 2024 Latest geekcert H31-124\_V2.0 PDF and VCE dumps Download

#### **QUESTION 5**

Which of the following statements regarding Attachment Bit are correct?

- A. After the Level! router receives Level-1 LSP with Attachment bit set to 1, it will generates default route with the nearest Level-1-2 router as the next hop.
- B. The Attachment Bit can be generated by the Level-2 or Level-1-2 router.
- C. The Attachment Bit can be generated in Level-2 LSP.
- D. The Attachment Bit is carried In Level-1 LSP generated by Level-1-2 router connected to another area.

Correct Answer: A

<u>H31-124 V2.0 PDF Dumps</u> <u>H31-124 V2.0 VCE Dumps</u> <u>H31-124 V2.0 Braindumps</u>