



H31-124_V2.0^{Q&As}

HCIP Carrier IP V2.0

Pass Huawei H31-124_V2.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/h31-124_v2-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements about CAR are correct?

- A. CAR uses token bucket mechanism to measure traffic and allocate bandwidth.
- B. CAR can be used for incoming interface and outgoing interface.
- C. CAR and queue scheduling cannot be used at the same time because of confliction.
- D. CAR can be used to limit the rate of the specific type of traffic.

Correct Answer: C

QUESTION 2

The following commands are configured on the router running BGP:

```
bgp 100 peer 12.12.12.2 as-number 200 ipv4familyunicast network 1,1.1.1 255.255.255.255 undo synchronization peer 12.12.12.2 enable peer 12.12.12.2 next-hop-local
```

The IP address of the router's interface connected with peer 12.12.12.2 is 12.12.12.1.

What's the function of the command "peer 12.12.12.2 next-hop-local"?

- A. Change the next hop of the routes generated locally as 12.12.12.1
- B. This command does not work at all
- C. Change the next hop of the routes advertised to peer 12.12.12.2 as 12.12.12.1
- D. Change the next hop of the routes received from peer 12.12.12.2 as 12.12.12.2

Correct Answer: D

QUESTION 3

Which of the following statements about traffic policy in CBQ configuration are correct?

- A. Traffic policy nesting means one QoS policy contains another QoS policy, the behavior of the parent policy is a sub-policy.
- B. Traffic policy is used to bind traffic classifier with traffic behavior.
- C. Traffic policy can be nested infinitely.
- D. The traffic policy applied to some interface can not be deleted.

Correct Answer: A



QUESTION 4

Compared with VPLS, what are the characteristics of EVPN?

- A. EVPN needs to be configured to be in full connection state on all PEs on the carrier's backbone network. That is, PWs must be set up between any two PEs.
- B. By using the EVPN technology, PE on the carrier's backbone network do not need to establish full connections, which greatly reduces the network complexity and reduces the number of signaling messages.
- C. EVPN enables a device to implement load balancing among multiple EVPN routes with the same destination MAC address but different next hops when managing MAC addresses.
- D. The PE learns the local and remote MAC addresses and their IP addresses through ARP and MAC address advertisement routes, and caches the information locally to prevent ARP request packets from being broadcast to other PEs and reduce network resource consumption.

Correct Answer: C

QUESTION 5

When router receives two instances of one LSA at the same time, it will first compare LS age, If same, then compare LS Sequence number.

- A. True
- B. False

Correct Answer: B

[Latest H31-124_V2.0 Dumps](#)

[H31-124_V2.0 VCE Dumps](#)

[H31-124_V2.0 Exam Questions](#)