



H31-311^{Q&As}

HCIA-Transmission V2.5

Pass Huawei H31-311 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/h31-311.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Configuring an EPLAN service as a ring is not recommended. If the EPLAN service is configured as a ring, the STP protocol must be enabled on the network to prevent broadcast storms.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 2

EPL services exclusively use ports and bandwidths, and different users may need to share resources. Which of the following methods can be used to isolate user data?

- A. VLANID
- B. MPLS label
- C. QinQ technology
- D. All of the above

Correct Answer: D

QUESTION 3

The SL64 board can be used in an OSN 2500.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 4

When the rate of an SNCP ring consisting of four OptiX OSN 2500 devices is 2.5 Gbit/s, the service capacity of this network can carry a maximum number of () 2 Mbit/s signals.

- A. 504
- B. 1008
- C. 2016
- D. 4032



Correct Answer: B

QUESTION 5

When the ACT indicator of an SDH board is off, it indicates that this board has a hardware fault and cannot be used,

A. TRUE

B. FALSE

Correct Answer: B

[Latest H31-311 Dumps](#)

[H31-311 Practice Test](#)

[H31-311 Braindumps](#)