



H31-321^{Q&As}

Huawei Certified Network Professional-MSTP Transmission

Pass Huawei H31-321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/h31-321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

NG-SDH equipment supports MS-shared protection. Which of the following are false about timeslot mapping between the working path and protection path?

- A. Working path 2: 17#VC-4~20#VC-4; Protection path 2: 49#VC-4~52#VC-4
- B. Working path 1: 1#VC-4~11#VC-4; Protection path 1: 33#VC-4~43#VC-4
- C. Working path 2: 4#VC-4~7#VC-4; Protection path 2: 9#VC-4~12#VC-4
- D. Working path 1: 1#VC-4~4#VC-4; Protection path 1: 5#VC-4~8#VC-4

Correct Answer: CD

QUESTION 2

Which of the following bytes cannot be processed in pass-through mode on an ADM site using OptiX NGSDH equipment?

- A. K1
- B. K2
- C. A1
- D. A2

Correct Answer: CD

QUESTION 3

When protection switching of services occurs on ASON tunnels, which of the following are involved in the entire protection process?

- A. NMS software
- B. ASON software
- C. NE software
- D. Board software

Correct Answer: BC

QUESTION 4

What are the procedures of handling discrete services on the NMS?



- A. Check the consistency between NMS data and NE data.
- B. Check the consistency between the fiber connections created on the NE and physical fiber connections.
- C. Search for protection subnets, and ensure that all protection subnets are searched out and properly configured.
- D. After discrete services are searched out, the NMS analyzes the discrete services based on the displayed causes and solutions.
- E. After discrete services are searched out, delete the discrete services on the NMS.

Correct Answer: ABCD

QUESTION 5

When the NEs of a Huawei network are connected to third-party/external equipment you can create virtual NEs that are mapped to the third-party/external equipment and then create cross-subnet trails between Huawei NEs and virtual NEs. In this manner, discrete services can be prevented.

- A. TRUE
- B. FALSE

Correct Answer: A

[Latest H31-321 Dumps](#)

[H31-321 VCE Dumps](#)

[H31-321 Study Guide](#)