H31-611^{Q&As}

HCNA - SDN(Huawei Certified Network Associate - SDN)

Pass Huawei H31-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/h31-611.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

When a host shifts from one network to another, which of the following statements is true?

A. You must change its IP address and MAC address.

B. You must change its IP address, but not its MAC address.

C. You must change its MAC address, but not its IP address.

D. The MAC address and IP address do not need to be changed.

Correct Answer: D

QUESTION 2

OpenFlow channel establishment and maintenance involves which of the following messages? (Choose all that apply.)

A. Hello message

B. Features Request message

C. Echo Request message

D. PortStatus message

Correct Answer: ABC

Reference: https://support.huawei.com/enterprise/en/doc/EDOC1000102491?section=k007

QUESTION 3

Which statements about the link-state algorithm are true? (Choose all that apply.)

A. The link state is the description of a route.

B. The link state describes the network topology.

C. The link state algorithm does not generate route loops.

D. OSPF and RIP use the link state algorithm.

Correct Answer: CD

QUESTION 4

The SDN controller has a global view of the entire network.

A. TRUE

B. FALSE

Correct Answer: A

Reference: https://books.google.com.pk/books?id=0dhwDwAAQBAJandpg=PA421andlpg=PA421anddq=huawei +SDN +controller+has+a+global+view+of+the+entire+networkandsource=blandots=tQRdkT5nBandsig=ACfU3U1isE1ggNHUJ pXiPOfI4sjQPPXSgandhl=enandsa=Xandved=2ahUKEwitrdnVi4PnAhVBQBoKHY3oBUgQ6AEwC3oECAoQAQ# v=onepageandq=huawei%20SDN%20controller%20has%20a%20global%20view%20of%20the%20entire% 20networkandf=false

QUESTION 5

CE series switches on an SDN network cannot use service interfaces for stacking configuration.

A. TRUE

B. FALSE

Correct Answer: B

| Latest H31-611 Dumps | H31-611 Study Guide | H31-611 Braindumps |