



HADOOP-PR000007^{Q&As}

Hortonworks Certified Apache Hadoop 2.0 Developer (Pig and Hive Developer)

Pass Hortonworks HADOOP-PR000007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hadoop-pr000007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by
Hortonworks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You have the following key-value pairs as output from your Map task:

(the, 1)

(fox, 1)

(faster, 1)

(than, 1)

(the, 1) (dog, 1)

How many keys will be passed to the Reducer's reduce method?

- A. Six
- B. Five
- C. Four
- D. Two
- E. One
- F. Three

Correct Answer: B

Explanation: Only one key value pair will be passed from the two (the, 1) key value pairs.

QUESTION 2

Examine the following Pig commands:

```
customers = LOAD 'data' USING PigStorage(',')
AS (name:chararray,age:int,zip:int,receipts:double);
s = SAMPLE customers 0.2;
DUMP s;
```

Which one of the following statements is true?

- A. The SAMPLE command generates an "unexpected symbol" error
- B. Each MapReduce task will terminate after executing for 0.2 minutes
- C. The reducers will only output the first 20% of the data passed from the mappers
- D. A random sample of approximately 20% of the data will be output

Correct Answer: D



QUESTION 3

Which one of the following statements is true regarding a MapReduce job?

- A. The job's Partitioner shuffles and sorts all (key.value) pairs and sends the output to all reducers
- B. The default Hash Partitioner sends key value pairs with the same key to the same Reducer
- C. The reduce method is invoked once for each unique value
- D. The Mapper must sort its output of (key.value) pairs in descending order based on value

Correct Answer: A

QUESTION 4

Which one of the following statements is false about HCatalog?

- A. Provides a shared schema mechanism
- B. Designed to be used by other programs such as Pig, Hive and MapReduce
- C. Stores HDFS data in a database for performing SQL-like ad-hoc queries
- D. Exists as a subproject of Hive

Correct Answer: C

QUESTION 5

A NameNode in Hadoop 2.0 manages _____.

- A. Two namespaces: an active namespace and a backup namespace
- B. A single namespace
- C. An arbitrary number of namespaces
- D. No namespaces

Correct Answer: B

[Latest HADOOP-PR000007 Dumps](#)

[HADOOP-PR000007 Study Guide](#)

[HADOOP-PR000007 Exam Questions](#)