

HAT-680^{Q&As}

HITACHI DATA SYSTEMS QUALIFIED PROFESSIONAL? STORAGE ADMINISTRATION

Pass Hitachi HAT-680 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/hat-680.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/hat-680.html

2024 Latest geekcert HAT-680 PDF and VCE dumps Download

QUESTION 1

You have a LUSE volume on a USP V storage system which is no longer used by any server. Using Hitachi Device Manager, what must be done to release the LUSE volume?

- A. The LUSE volume must be marked as "unused".
- B. The LUSE volume must be marked as "invalidated".
- C. You must format the LUSE volume first to delete all the data on it.
- D. You must release all defined data paths for this LUSE volume.

Correct Answer: D

QUESTION 2

A storage administrator needs to create a LUSE volume on a VSP storage system. Which two volume types are used for this task? (Choose two.)

- A. pool volumes
- B. DP volumes
- C. basic volumes
- D. external volumes

Correct Answer: CD

QUESTION 3

You are installing Hitachi Device Manager and need to verify the existence of the two pre- defined user profiles. Which two are they? (Choose two.)

- A. administrator
- B. hauser
- C. root
- D. system

Correct Answer: BD

QUESTION 4

The storage administrator of a VSP must create an LDEV using Hitachi Device Manager. The VSP has already been selected in the Subsystems screen. Which option is available from the General Task menu to perform this task?



https://www.geekcert.com/hat-680.html

2024 Latest geekcert HAT-680 PDF and VCE dumps Download

-	_	
Λ.	Create	
_	LIPAID	111-

- B. Create Volumes
- C. Allocate Storage
- D. Storage Navigator

Correct Answer: B

QUESTION 5

A customer would like to deploy Hitachi Global Link Manager (HGLM) to monitor for path errors on their SAN hosts running Hitachi Dynamic Link Manager (HDLM). Which method is used by the host to alert the HGLM server?

- A. SNMP
- B. SMTP
- C. SMS
- D. SIM

Correct Answer: A

Latest HAT-680 Dumps

HAT-680 Practice Test

HAT-680 Braindumps