



# HAT-680<sup>Q&As</sup>

HITACHI DATA SYSTEMS QUALIFIED PROFESSIONAL ? STORAGE  
ADMINISTRATION

**Pass Hitachi HAT-680 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hat-680.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

You use Hitachi Device Manager (HDvM) to manage your VSP and HUS110 storage systems. Which two features are available in the HDvM GUI to manage storage provisioning tasks? (Choose two.)

- A. Allocate Storage
- B. Move Storage
- C. Unallocate Storage
- D. Release Storage

Correct Answer: AC

---

### QUESTION 2

When configuring external storage on a VSP storage system, what happens when the Inflow Control option is set to Enable?

- A. Writes will be rejected when the external volume cannot be accessed.
- B. Writes will be rejected when the cache usage is above threshold 1.
- C. Writes will be accepted when the external volume cannot be accessed.
- D. Writes will be rejected when the cache usage is above threshold 2.

Correct Answer: A

---

### QUESTION 3

A storage administrator is preparing to install the Hitachi Command Suite software. Which three base installation components are always installed or removed together on the management server? (Choose three.)

- A. Hitachi Command Suite Common Component
- B. Host Data Collector
- C. Storage Alert Collector
- D. Device Manager server
- E. Device Manager Agent

Correct Answer: ABD

---

### QUESTION 4



---

Which two operations would you perform on a VSP using the Element Manager feature of Hitachi Device Manager? (Choose two.)

- A. Create a system disk.
- B. Generate storage utilization reports for groups of storage systems.
- C. View the configuration of a storage system.
- D. Update a storage system microcode.

Correct Answer: AC

---

#### QUESTION 5

A storage administrator has been asked to use Hitachi Device Manager (HDvM) to provide information about storage utilization by hosts for an urgent meeting. When the report is created, several hosts have no utilization data associated with them. What is the reason for the missing data?

- A. The hosts do not have the HDvM agent installed.
- B. The hosts have not been refreshed.
- C. The storage system has not been refreshed.
- D. The storage system polling is not synchronized with the report creation.

Correct Answer: A

[HAT-680 VCE Dumps](#)

[HAT-680 Study Guide](#)

[HAT-680 Exam Questions](#)