



HAT-680^{Q&As}

HITACHI DATA SYSTEMS QUALIFIED PROFESSIONAL ? STORAGE
ADMINISTRATION

Pass Hitachi HAT-680 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hat-680.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Before starting provisioning operations in Hitachi Device Manager, what are three requirements? (Choose three)

- A. The host must be physically connected to the SAN.
- B. The port on the storage system must be configured.
- C. Any world-wide node name (WWNN) must be configured for the host.
- D. The host must appear in the host view.
- E. The switch must be added to Device Manager.

Correct Answer: ABD

QUESTION 2

A customer has concerns about high availability and single-point failure for their VSP environment and they are planning to implement a multi-pathing software. Which two Hitachi Dynamic Link Manager (HDLM) features will assist this customer? (Choose two.)

- A. HDLM automatically redirects I/O operations to alternate paths if a failure occurs.
- B. The HDLM server monitors the client hosts\' multi-pathing agents and redirects I/Os to an available path if a path failure occurs.
- C. HDLM collects path error information and preventively sets a path offline if the error threshold is exceeded.
- D. When a failed path becomes available, HDLM places the recovered path back online.

Correct Answer: AD

QUESTION 3

Which three GUI options in the Hitachi Command Suite would be used to optimize data placement within an HDT implementation? (Choose three.)

- A. Edit Dedupe Policy
- B. Edit Tiering Policy
- C. Migrate Data
- D. Archive Data
- E. Expand DP Volume

Correct Answer: BCE



QUESTION 4

A storage administrator needs to create a LUSE volume on a VSP storage system. Which two volume types are used for this task? (Choose two.)

- A. pool volumes
- B. DP volumes
- C. basic volumes
- D. external volumes

Correct Answer: CD

QUESTION 5

On a server with intensive sequential I/O profile, you have set Extended Round Robin within Hitachi Dynamic Link Manager. Which two benefits result from implementing this algorithm? (Choose two.)

- A. tracks preloaded to cache
- B. blocks held permanent in Read Cache
- C. no tracks preloading on the system
- D. efficient cache usage on the storage system

Correct Answer: AD

[Latest HAT-680 Dumps](#)

[HAT-680 Practice Test](#)

[HAT-680 Exam Questions](#)