



HCE-3210^{Q&As}

Hitachi Vantara Certified Specialist - NAS Solutions Architect

Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hce-3210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer has just implemented anti-virus scanning on their Hitachi NAS Platform and they are experiencing degraded performance since the implementation. Which three actions should the customer take to improve performance? (Choose three.)

- A. Increase the number of anti-virus scanning servers.
- B. Enable SMB signing to reduce protocol overhead.
- C. Upgrade the anti-virus scanning server hardware.
- D. Optimize the network connectivity between the anti-virus scanning servers and the Hitachi NAS Platform.
- E. Enable ICMP on the anti-virus scanning servers.

Correct Answer: ACD

QUESTION 2

A customer is planning to deploy Hitachi Object Replication on their existing Hitachi NAS Platform 4000.

They want to replicate only two of their WFS-1 file systems.

Which statement is correct?

- A. Object replication must be setup using the GUI.
- B. Object replication is supported at the block level only.
- C. Object replication is not supported for this type of file system.
- D. Object replication is supported on the storage pool level only.

Correct Answer: C

QUESTION 3

A customer with a Hitachi NAS Platform 3200 (source) would like to relocate all the data to a new Hitachi NAS Platform 4000 (destination) using Incremental File Replication with Transfer Primary Access (TPA). Which two are required before the data migration can take place? (Choose two.)

- A. The source and destination firmware levels of the HNAS systems must be compatible for replication.
- B. The external SMU must manage the source and destination nodes.
- C. The source and destination nodes must be connected to different storage systems.



D. The clients of the source and destination nodes must have write access to the snapshots before and after the replication.

Correct Answer: AB

QUESTION 4

You are working on a proposal for a VMware customer which includes a Hitachi NAS Platform 4000 in a two-node cluster with a single HUS 150 system attached. What are two best practices when architecting the solution? (Choose two.)

- A. HDP should not be used with TFS.
- B. Configure RAID-6 fortier0.
- C. Dedicate HDP pools solely to the HNAS system.
- D. Maintain a ratio of 1 or 2 HDP volumes for each RAID group that is used in the DP pool.

Correct Answer: CD

QUESTION 5

A Hitachi NAS Platform customer has NFS clients accessing files on a UNIX security mode virtual volume. What security information is before granting or denying access? (Choose three.)

- A. UID
- B. atime
- C. GID
- D. file permission
- E. SID

Correct Answer: ACD

[Latest HCE-3210 Dumps](#)

[HCE-3210 VCE Dumps](#)

[HCE-3210 Study Guide](#)