



HCE-3210^{Q&As}

Hitachi Vantara Certified Specialist - NAS Solutions Architect

Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hce-3210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer recently purchased a Hitachi NAS Platform 4000 and a Hitachi HUS 130 for back-end storage.

They are concerned about back-end performance.

What are two best practices? (Choose two.)

- A. Do not share storage ports with another other host.
- B. Do not mix SAS 10K and SAS 7.2K in the same untiered storage pool.
- C. Do not exceed 8 SAS 7.2K LUNS per FC port.
- D. Do not use FC Loop mode.

Correct Answer: AB

QUESTION 2

The administrator of a Hitachi NAS Platform 4000 has to integrate their NAS into their backup system using NDMP.

What must be done on the Hitachi NAS Platform?

- A. Set NDMP version to 5.
- B. Define the file systems to be backed-up.
- C. Set the NDMP username and password.
- D. Run the ndmp-enhanced-stats CLI command.

Correct Answer: C

QUESTION 3

You are planning a server consolidation for a customer as part of a Hitachi NAS Platform 4000 proposal. The customer desires to retain their existing CIFS server names during the migration as they have applications directly referencing these systems. Which method should be used to accommodate this requirement?

- A. Use Cluster Name Service (CHS) to virtualize the namespace.
- B. Add a static route to each server.
- C. Implement Distributed File System (DFS) to virtualize the namespace.



D. Implement a separate EVS for each legacy file server.

Correct Answer: D

QUESTION 4

A customer wants to implement a Hitachi NAS Platform 4000 in a 10 GbE network environment with some 1 GbE clients and they are asking about potential performance limiting factors in their network.

Which two factors must be taken into consideration? (Choose two.)

- A. the use of a Network File System
- B. the use of flow control
- C. the number of modules (blades) in a switch
- D. the number of network hops

Correct Answer: BD

QUESTION 5

You are designing Hitachi NAS File Clone solution for a customer with an existing Hitachi NAS platform. Which two are required? (Choose two.)

- A. NAS firmware version 8.x or later
- B. iSCSI volumes
- C. WFS-2 file system
- D. Hitachi NAS G2 hardware

Correct Answer: AC
