



# HCE-5420<sup>Q&As</sup>

Hitachi Data Systems Certified Specialist - Content Platform

## Pass Hitachi HCE-5420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hce-5420.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You created an outbound link which was accidentally rejected on the replica by a storage manager. Which two actions should you take to correct the situation? (Choose two.)

- A. On the primary HCP, delete the rejected link.
- B. On the replica HCP, cancel the link rejection response.
- C. On the primary HCP, create a new outbound link.
- D. On the replica HCP, send a new link acceptance.

Correct Answer: AC

---

### QUESTION 2

As tenant administrator for tenant deptA, you are asked to create a new account for deptA-user to access data in tenant deptA. Which two actions would you choose? (Choose two.)

- A. Log into the System Management Console (<https://admin.hcp-ma.example.com:8000>).
- B. Log into the Tenant Management Console for tenant deptA (<https://deptA.hcpma.example.com:8000>).
- C. Create a data access account for the deptA-user.
- D. Create a system account for the deptA-user.

Correct Answer: BC

---

### QUESTION 3

A customer has recently purchased a HCP 500. You will be performing the install. Which two describe how many LUNs per node are required for installation? (Choose two.)

- A. 1 OS LUN
- B. 4 OS LUNs
- C. 2 data LUNs
- D. 4 data LUNs

Correct Answer: AC

---

### QUESTION 4

In which two instances would the MEGARaid utility be used? (Choose two.)



- A. when replacing multiple failed disks in a HCP 500 node
- B. when replacing multiple failed disks in a HCP 300 node
- C. when replacing an entire node in a HCP 300 in which the RAID group is not healthy
- D. when replacing an entire node in a HCP 500 in which the RAID group is not healthy

Correct Answer: BC

---

#### QUESTION 5

What are two instances when you would need to configure the BIOS on a HCP Node? (Choose two.)

- A. when replacing a failed motherboard in a node
- B. when adding more than 1 TB of capacity to the configuration
- C. when configuring the HCP for replication
- D. when replacing an entire node

Correct Answer: AD

[Latest HCE-5420 Dumps](#)

[HCE-5420 VCE Dumps](#)

[HCE-5420 Study Guide](#)