



HCE-5710^{Q&As}

Architecting Hitachi Data Systems Certified Expert - Replication solutions

Pass Hitachi HCE-5710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hce-5710.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer is planning to use bi-directional synchronous TrueCopy for Disaster Recovery on several mission critical applications between two sites 40km apart connected by DWDM. What is required before replication can take place?

- A. Journal disk space must be installed on both arrays.
- B. FCIP channel extenders must be in place and functional.
- C. Sufficient buffer credits must be available on the switches at both sites.
- D. Two CCI servers must be configured with network connectivity between them.

Correct Answer: C

QUESTION 2

A customer is concerned about a large number of changes being made daily to production systems over a period of three weeks. The customer decides to make Copy-on-Write SnapShot copies of the database at the start of every day to easily restore the most recent version should it be necessary. Each copy must be kept for one week. The average change to the database is 10 percent daily. The database is 10TB in size. Which two considerations are relevant? (Choose two.)

- A. The pool should be defined as being 7TB in size.
- B. The pool should be defined as being 10TB in size.
- C. The pool should be on separate parity groups than the production volumes.
- D. The pool should be defined on the same type of RAID groups as the production database.

Correct Answer: BC

QUESTION 3

Your customer must decide if TrueCopy Asynchronous or TrueCopy Synchronous is the best solution. Which three statements describe TrueCopy Synchronous characteristics? (Choose three.)

- A. TrueCopy Synchronous guarantees an RPO of zero.
- B. TrueCopy Synchronous turnaround times become unacceptable at longer distances.
- C. TrueCopy Synchronous maintains consistency of data with time stamping and sequence numbering.
- D. TrueCopy Synchronous can register a maximum of sixteen remote control units (CUs) for one local CU.
- E. TrueCopy Synchronous reports the ending status to the host only after the S-VOL update copy operation is complete.

Correct Answer: ABE



QUESTION 4

Which statement is true about HiCommand Tiered Storage Manager?

- A. It works as a migration controller.
- B. It moves the LDEV number before copying data;
- C. Migration using Tiered Storage Manager is disruptive to the continuance of a business.
- D. Tiered Storage Manager focuses on short term improvements of a storage system's performance.

Correct Answer: A

QUESTION 5

A customer is buying an Hitachi Storage Cluster (HSC) for Microsoft Environments for the purpose of having a long distance cluster. Which two factors should be considered for the configuration? (Choose two.)

- A. IP addresses must be static and bi-directional.
- B. IP addresses must be mobile and bi-directional.
- C. Network latency must not be longer than 100 milliseconds.
- D. Network latency must not be longer than 500 milliseconds.

Correct Answer: BD

[HCE-5710 PDF Dumps](#)

[HCE-5710 Study Guide](#)

[HCE-5710 Braindumps](#)