



HCE-5710^{Q&As}

Architecting Hitachi Data Systems Certified Expert - Replication solutions

Pass Hitachi HCE-5710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hce-5710.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

On the Storage Navigator frame for a TrueCopy pair operation, the "Status" column on the primary array indicates PSUS. What are three CCI commands that put the TrueCopy pairs in this status? (Choose three.)

- A. pairsplit -r from primary
- B. pairsplit -e from primary
- C. pairsplit -r from secondary
- D. pairsplit -S from secondary
- E. pairsplit -e from secondary

Correct Answer: ACD

QUESTION 2

A customer is planning to use Universal Replicator for Disaster Recovery of a normal transactional database (e.g. Oracle, DB2). Which two must be included in the same Journal Group? (Choose two.)

- A. data files
- B. transaction logs
- C. database dumps
- D. application binaries

Correct Answer: AB

QUESTION 3

Command Control Interface (CCI) is being used to manage TrueCopy and ShadowImage pairs. An error has occurred, but there is no indication of the error in any of the CCI HORCM logs or traces. Which two locations could be checked for CCI error messages? (Choose two.)

- A. the UNIX syslog
- B. the Windows event log
- C. the UNIX CCI installation directory
- D. the Windows CCI installation directory

Correct Answer: AB

QUESTION 4



During a Copy-on-Write SnapShot (CoW) implementation, a customer asks you to demonstrate the Quick Restore functionality of the software. CCI for this environment is installed on a UNIX host using korn shell and the CoW CCI device group is COW_db01. Which statement is correct?

- A. This is not possible using Copy-on-Write SnapShot.
- B. Use the pairresync -g COW_db01 -fq normal -restore commands.
- C. Use the export HORCC_REST=NORMAL; pairresync -g COW_db01 -restore commands.
- D. Use the export HORCC_REST=COW_QUICK; pairresync -g COW_db01 -restore commands.

Correct Answer: A

QUESTION 5

A customer is concerned about a large number of changes being made daily to production systems over a period of three weeks. The customer decides to make Copy-on-Write SnapShot copies of the database at the start of every day to easily restore the most recent version should it be necessary. Each copy must be kept for one week. The average change to the database is 10 percent daily. The database is 10TB in size. Which two considerations are relevant? (Choose two.)

- A. The pool should be defined as being 7TB in size.
- B. The pool should be defined as being 10TB in size.
- C. The pool should be on separate parity groups than the production volumes.
- D. The pool should be defined on the same type of RAID groups as the production database.

Correct Answer: BC

[Latest HCE-5710 Dumps](#)

[HCE-5710 VCE Dumps](#)

[HCE-5710 Practice Test](#)