



# HCE-5710<sup>Q&As</sup>

Architecting Hitachi Data Systems Certified Expert - Replication solutions

**Pass Hitachi HCE-5710 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hce-5710.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A customer has a Windows CCI server controlling both Universal Replicator and ShadowImage pairs. The customer would like to see the status of the Universal Replicator pairs. Which command can the customer issue prior to using the pairedisplay command to ensure only the status of the Universal Replicator pairs are shown?

- A. set HORCC\_MRCF=
- B. unset HORCC\_MRCF
- C. set HORCC\_MRCF=1
- D. export HORCC\_MRCF=1

Correct Answer: A

---

### QUESTION 2

A customer wants a Copy-on-Write SnapShot (CoW) pool configured to be 1TB on a Universal Storage Platform USP1100. However, the created snapshots should initially use no more than 750GB of the pool. What should be configured to achieve this requirement?

- A. Create 750GB of V-VOLs.
- B. Set the pool threshold value to 75%.
- C. Set the Pending Update Data Rate to 75%.
- D. Create a CCI script to send an email if more than 750GB is used.

Correct Answer: B

---

### QUESTION 3

A customer is considering using TrueCopy to a site 10km distant for an application that has high write content with fairly severe SLAs. Which two must be considered? (Choose two.)

- A. Consistency Groups must be used.
- B. A link with minimum latency must be used.
- C. A link with maximum bandwidth must be used.
- D. The database buffers must be flushed frequently to ensure consistency.

Correct Answer: BC

---

### QUESTION 4



A customer would like to automate the diskpart.exe command to import and activate suspended ShadowImage secondary volumes in a Windows CCI script. Which diskpart.exe subcommand should be used to scan for new disks on the recovery server prior to mounting the secondary volumes?

- A. qry
- B. scan
- C. query
- D. rescan

Correct Answer: D

---

#### QUESTION 5

A customer wants to replicate a database on a UNIX host with Universal Replicator but exclude the temporary and backup file systems to reduce the replication workload. What should be reviewed to ensure this is possible?

- A. SAN zone layout map
- B. file system usage report
- C. database relationship map
- D. volume/disk group volume layout

Correct Answer: D

[Latest HCE-5710 Dumps](#)

[HCE-5710 PDF Dumps](#)

[HCE-5710 Study Guide](#)