



# HP0-P25<sup>Q&As</sup>

HP-UX 11i v3 Advanced System Administration

**Pass HP HP0-P25 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-p25.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Serviceguard A 11 20 introduced a file called /etc/cmcluster/cmclfiles2check. Which command can be used to source this file to do cluster verification checks?

- A. cmcheckconf
- B. cmcompare
- C. cmscancl
- D. cmcheckdg

Correct Answer: C

---

### QUESTION 2

You are trying to create a new Serviceguard cluster with two nodes. The /etc/cmcluster/cmclnodelist file exists and is correct on both nodes. They can resolve hostnames and IP addresses correctly, and Serviceguard is installed correctly on both nodes. When running the command `cmquerycl -v -n nodeB -nnodeA` on node nodeA, it works but when run on node nodeB, the same command fails with the following message:

```
# cmquerycl -v -n nodeB -n nodeA
Gathering storage information
Unable to connect to node nodeB: Permission denied
Unable to connect to node nodeA: Permission denied
Gathering network information
Failed to gather configuration information.
#
```

What is the cause of this problem?

- A. The "auth" service entry is commented out in the /etc/inetd.conf file on node nodeA.
- B. The "auth" service entry is commented out in the /etc/inetd.conf file on node nodeB
- C. The "hacl-probe" service entry is commented out in the /etc/inetd.conf file on node nodeA
- D. The "hacl probe" service entry is commented out in the /etc/inetd.conf file on node nodeB.

Correct Answer: D

---

### QUESTION 3

Which activity requires a reboot of a Superdome 2 server?

- A. Modifying a dynamic kernel parameter



- B. Extending the /home file system when online JFS is installed and licensed
- C. Installing additional cell blades to an nPar
- D. Manipulating a number of active cores using iCAP

Correct Answer: A

#### QUESTION 4

A customer needs a partitioning solution that provides dedicated resources and electrical isolation.

Which HP solution should the customer use?

- A. vPars
- B. Integrity VM
- C. HP Containers
- D. nPars

Correct Answer: D

#### QUESTION 5

Given the output below, what is indicated by the line starting with "memory"?

```
# swapinfo -tam
```

	Mb	Mb	Mb	PCT	START/	Mb		
TYPE	AVAIL	USED	FREE	USED	LIMIT	RESERVE	PRI	NAME
<u>dev</u>	4096	0	4096	0%	0	-	1	<u>/dev/vg00/lvol2</u>
<u>reserve</u>	-	562	-562					
<u>memory</u>	5833	1941	3892	33%				
<u>total</u>	9929	2503	7426	25%		0	-	

- A. Memory pages already used for paging needs
- B. Amount of memory reserved by the kernel for its own internal use
- C. Amount of memory calculated for pseudo-swap
- D. Memory allocated by the kernel for possible future paging needs

Correct Answer: D



VCE & PDF

GeekCert.com

<https://www.geekcert.com/hp0-p25.html>

2024 Latest geekcert HP0-P25 PDF and VCE dumps Download

---

[Latest HP0-P25 Dumps](#)

[HP0-P25 PDF Dumps](#)

[HP0-P25 Braindumps](#)