



# HP0-P25<sup>Q&As</sup>

HP-UX 11i v3 Advanced System Administration

**Pass HP HP0-P25 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-p25.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

The application's I/O profile is doing random I/O. Which action must you perform to disable automatic read ahead on the related filesystem?

- A. Use the command `newfs` with the `"read_ahead=0"` option on the filesystem
- B. Mount the filesystem with the `"readahead=random"` option
- C. Use the command `vxtunefs` to set the `"read_ahead=0"` option on the filesystem.
- D. Mount the filesystem with the `"mincache=tempcache"` option

Correct Answer: B

---

### QUESTION 2

Select the correct order to update HP-UX using DRD

Hot Area:



### Step 1

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

### Step 2

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

### Step 3

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

### Step 4

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

Hot Area:



### Step 1

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

### Step 2

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

### Step 3

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

### Step 4

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

Correct Answer:



### Step 1

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

### Step 2

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

### Step 3

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

### Step 4

```
drd runcmd swinstall -s  
Depot_Path Update-UX  
drd runcmd view  
/var/adm/sw/update-ux.log  
drd runcmd update-ux  
drd clone-t-target_disk
```

#### QUESTION 3



Which components form part of the HP-UX OS kernel? (Select three.)

- A. UFC
- B. Power Module
- C. EFI
- D. Scheduler
- E. Process Table
- F. BCH

Correct Answer: ACF

#### QUESTION 4

You are trying to create a new Serviceguard cluster with two nodes. The `/etc/cmcluster/cmclnodelist` file exists and is correct on both nodes. They can resolve hostnames and IP addresses correctly, and Serviceguard is installed correctly on both nodes. When running the command `cmquerycl -v -n nodeB -n nodeA` on node nodeA, it works but when run on node nodeB, the same command fails with the following message:

```
# cmquerycl -v -n nodeB -n nodeA
Gathering storage information
Unable to connect to node nodeB: Permission denied
Unable to connect to node nodeA: Permission denied
Gathering network information
Failed to gather configuration information.
#
```

What is the cause of this problem?

- A. The "auth" service entry is commented out in the `/etc/inetd.conf` file on node nodeA.
- B. The "auth" service entry is commented out in the `/etc/inetd.conf` file on node nodeB
- C. The "hacl-probe" service entry is commented out in the `/etc/inetd.conf` file on node nodeA
- D. The "hacl probe" service entry is commented out in the `/etc/inetd.conf` file on node nodeB.

Correct Answer: D

#### QUESTION 5

While investigating issues on a Service guard cluster, you notice an entry in the syslog. Log file similar to:

```
CM-CMD[2054]: cmhaltpkg -v my_pkg.
```

What does this indicate?



- A. The cmhaltnode command has issued the cmhaltpkg command
- B. A control script has run the cmhaltpkg command
- C. Someone has manually run the cmhaltpkg command
- D. Running cmapplyconf has issued the cmhaltpkg command

Correct Answer: D

[Latest HP0-P25 Dumps](#)

[HP0-P25 Exam Questions](#)

[HP0-P25 Braindumps](#)