



HP0-P25^{Q&As}

HP-UX 11i v3 Advanced System Administration

Pass HP HP0-P25 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-p25.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which command starts the auditing capabilities of HP Standard Mode Security Extensions (SMSE)?

- A. /sbin/init .d/securemode start
- B. /sbin/init .d/trustsys start
- C. /sbin/init .d/auditing start
- D. /sbin/init.d/hpsmse start

Correct Answer: C

QUESTION 2

Which tool can be used to modify nPar configurations?

- A. HP System Insight Manager (HP SIM)
- B. HP System Management Homepage (HP SMH)
- C. iLO Monarch Management Processor
- D. Domain Management Processor

Correct Answer: B

QUESTION 3

A volume group is the sixth LVM2-2 volume group on a server. The device tiles for the 3rd LV in this VG have accidentally been deleted. Previous VGs have been created with the default numbering scheme. When using the `mknod` command string to recreate these files, what would be the correct major/minor number pair?

- A. 64 0x050003
- B. 64 0x005003
- C. 128 0x050003
- D. 128 0x005003

Correct Answer: D

QUESTION 4

Which statements describe the functionality of Process Resource Manager (PRM)? (Select two.)



- A. PRM allocates CPU, I/O. and Network resources.
- B. PRM increases application uptime.
- C. PRM allows resource allocation based on defined rules.
- D. PRM migrates CPUs across vPars
- E. PRM uses its own process scheduler

Correct Answer: BD

QUESTION 5

After adding the server named DGHOST1 as a cluster node, the system administrator runs the command `cmviewc1 v` and sees this message:

```
Access denied to quorum server 10.1.1.1
```

Which steps will resolve this issue? (Select two.)

- A. Add DGHOST1 to the file `/etc/cmcluster/qs_authfile` on the quorum server
- B. Add the quorum server name to the file `/etc/cmcluster/cmclnodelist` on DGHOST1
- C. Run `csshsetup -r DGHOST1` on the quorum server
- D. Set the `QS_TIMEOUT_EXTENSION` variable to increase timeout
- E. Run `RunUsr/lbin./qs -update` on the quorum server

Correct Answer: BD

[Latest HP0-P25 Dumps](#)

[HP0-P25 VCE Dumps](#)

[HP0-P25 Braindumps](#)