



# HP0-S42<sup>Q&As</sup>

Architecting HP Server Solutions

**Pass HP HP0-S42 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-s42.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

After sizing a rack with several ProLiant DL380p Gen9 servers running Windows Server 2008 R2 to use a redundant UPS Solution, a customer orders two HP UPS R7000s. What needs to be done to get this UPS configuration working as a redundant UPS solution and gracefully shutdown Windows Server 2008 R2 when a power failure occurs at the input feed of both R7000 UPSs?

- A. Configure the HP UPS Network Module for each R7000 UPS and HP Power Proactive software
- B. Configure the HP UPS Management Card for each R7000 UPS and HP power proactive software
- C. Configure the HP UPS Management Card for each R7000 UPS and HP Power manager software
- D. Configure the HP UPS Network Module for each R7000 UPS and HP Power manager software

Correct Answer: D

Reference: <http://h20195.www2.hp.com/V2/GetPDF.aspx/c02713423.pdf> (page 4, see HP power manager and HP UPS Network Module)

---

### QUESTION 2

For HP BladeSystem c7000 enclosures, which components are required to make full use of Dynamic Power Capping (that can be purchased together as part of HP Insight Control suite)?

(Select four)

- A. Insight Power Manager
- B. HP Power Assistant
- C. N+N Redundant AC power configuration
- D. iLO Select license
- E. Redundant Onboard Administrator (OA)
- F. Power Cap Manager

Correct Answer: ACDE

---

### QUESTION 3

After checking settings on a Red Hat server in single-user mode, which command will return the system to multi-user mode without rebooting the server?

- A. init 0
- B. init 1



C. init 3

D. init 6

Correct Answer: C

---

#### QUESTION 4

What is the maximum number of 1066 MHz LRDIMMs supported per channel in an HP ProLiant DL380 Gen9 server?

A. 2

B. 3

C. 4

D. 8

Correct Answer: B

Reference: [http://h18004.www1.hp.com/products/servers/options/tool/hp\\_memtool.html](http://h18004.www1.hp.com/products/servers/options/tool/hp_memtool.html) (See LRDIMM or load reduced ?for gen 8 servers. When the site loads, click agree and on the following screen, you can see the information)

---

#### QUESTION 5

A customer is implementing a new mission critical application. The customer needs to protect against RAM errors, minimize cost, and maximize the use of all installed memory DIMM's. Which feature of the HP ProLiant Gen 9 server should recommend to the customer?

A. memory mirroring

B. smart caching

C. Advanced Data Mirroring (ADM)

D. Rank sparring (online spare)

Correct Answer: B

[Latest HP0-S42 Dumps](#)

[HP0-S42 Practice Test](#)

[HP0-S42 Study Guide](#)