



HP0-Y49^{Q&As}

HP ATP FlexNetwork Solutions

Pass HP HP0-Y49 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/HP0-Y49.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What must a network administrator define on an HP Comware switch in order to implement username and passwords to protect access to the CLI?

- A. Authentication scheme
- B. Privilege levels
- C. Local authentication
- D. Super passwords

Correct Answer: C

Authentication fallback

If all authentication servers are unavailable, local authentication can be used. Local authentication can use the password control function to secure user passwords.

Reference:

https://h20565.www2.hp.com/portal/site/hpsc/template.BINARYPORTLET/public/kb/docDisplay/resource.process/?spf_p.tpst=kbDocDisplay_ws_Blandspf_p.id_kbDocDisplay=docDisplayResURLandjavax.portlet.begCacheTok=com.vignette.cachetokenandspf_p.rst_kbDocDisplay=wsrp-resourceState %3DdocId%253Demr_na-c03536920-4%257CdocLocale%253Den_USandjavax.portlet.endCacheTok=com.vignette.cachetoken

QUESTION 2

Which HP Intelligent Management Center (IMC) component would a network administrator check to verify the installation of IMC or an add-on module?

- A. Deployment Monitoring Agent
- B. Deployment Analyzer
- C. Service Manager
- D. Process Manager

Correct Answer: A

QUESTION 3

Refer to the exhibit.

Exhibit: HP Comware Switch dir command output



```
<Comware> dir
Directory of ofa0:/
```

0	drw-	6985954	Apr	26	2007	21:06:29	logfile
1	-rw-	3141842	Apr	27	2007	04:37:17	main.app
2	-rw-	1518	Apr	26	2007	12:05:38	config.cfg
3	-rw-	2045	May	04	2007	15:50:01	backcfg.cfg
4	-rwh	428	Apr	27	2007	16:41:21	hostkey
5	-rwh	572	Apr	27	2007	16:41:31	serverkey

14605 KB total (1955 KB free)

```
<Comware> dir /all
Directory of cfa0:/
```

0	drw-	6985954	Apr	26	2007	21:06:29	logfile
1	-rw-	3141842	Apr	27	2007	04:37:17	main.app
2	-rw-	1518	Apr	26	2007	12:05:38	config.cfg
3	-rw-	2045	May	04	2007	15:50:01	backcfg.cfg
4	-rwh	428	Apr	27	2007	16:41:21	hostkey
5	-rwh	572	Apr	27	2007	16:41:31	serverkey
6	-rw-	2737556	Oct	12	2007	01:31:41	[old.app]

14605 KB total (1955 KB free)



A network administrator is upgrading the operating system on an HP Comware switch. When copying the new image from a TFTP server to flash of the switch, the process fails because there is not enough flash to store the new operating system. The new operating system is 3.2MB in size. The network administrator then executes the commands shown in the exhibit.

Which action should the network administrator perform to solve this problem?

- A. Reformat flash and execute the TFTP upgrade command.
- B. Execute the clear Flash command and perform the TFTP upgrade again.
- C. Execute the reset recycle-bin command and perform the TFTP upgrade again.
- D. Execute the delete eld.app command and execute the TFTP upgrade command.

Correct Answer: C

When you delete a file with HP switches, it moves the file to the recycle bin and the file still occupies storage space. To permanently delete the file from the recycle bin, execute the reset recycle-bin command in the original directory of the file.

QUESTION 4

Which credential is required to validate SNMP v2c write requests?



- A. MD5 authkey
- B. AAA authentication
- C. Scheme
- D. Community string

Correct Answer: D

QUESTION 5

A network administrator has a network of HP ProVision switches with operator and manager passwords configured. The network administrator uses the copy config startup-config tftp pc command on each switch to save all the switch configuration to a TFTP server. The network administrator copies the configuration from one HP ProVision 3800 switch to an identical HP ProVision 3800 switch. The new switch no longer prompts for an operator or manager passwords.

What is the cause of this problem?

- A. The passwords must be saved by using a separate TFTP transfer with the copy passwords tftp pc command.
- B. The passwords cannot be restored they contain special characters misunderstood by the TFTP server.
- C. The passwords cannot be restored by default, to the startup-config file on the switch when executing the write memory command.

Correct Answer: C

[HP0-Y49 PDF Dumps](#)

[HP0-Y49 VCE Dumps](#)

[HP0-Y49 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.