



# HP0-Y52<sup>Q&As</sup>

Applying HP FlexNetwork Fundamentals

**Pass HP HP0-Y52 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-y52.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which FlexNetwork architecture component provides high performance and low-latency for virtual and physical servers that provide services to the users in a company?

- A. FlexFabric
- B. FlexDataCenter
- C. FlexNet
- D. FlexArchitecture

Correct Answer: A

---

### QUESTION 2

Refer to the exhibit.

```
<Comware> display port trunk
```

```
Interface   PVID   VLAN passing
GE1/0/1 1     1       1, 10, 20
```

What does the output indicate about GE1/0/1?

- A. The interface accepts untagged traffic, which it assigns to VLAN 1. It drops traffic that is tagged for VLANs 1, 10, and 20.
- B. The interface accepts untagged traffic, which it assigns to VLAN 1. It also accepts traffic that is tagged for VLANs 10 and 20.
- C. The interface accepts untagged traffic, which it assigns to VLAN 1. It accepts traffic that is tagged for any VLAN between 10 and 20.
- D. The interface does not accept untagged traffic. It accepts traffic that is tagged for VLANs 1, 10, and 20.

Correct Answer: B

---

### QUESTION 3

Which statement is true about wireless technologies?

- A. 802.11b/g uses an 802.11a-compatible frequency
- B. 802.11a has higher data rates than 802.11g does.
- C. 802.11n users MIMO technology to improve throughput
- D. 802.11a uses the less crowded 2.4 GHz range



---

Correct Answer: C

---

#### QUESTION 4

A network administrator establishes an aggregated link between an HP Comware and ProVision switch. VLAN 1 is untagged and VLANs 2 and 3 are tagged. The administrator configures these commands on the Comware switch:

```
interface bridge-aggregation 1
  quit
interface g1/0/1
  port link-aggregation group 1
  quit
interface g1/0/2
  port link-aggregation group 1
  quit
interface bridge-aggregation 1
  port link-type trunk
  port trunk permit vlan all
  quit
```

The administrator configures these commands on the ProVision switch:

```
trunk 1-2 trk1 lacp
vlan 2 tagged trk1
vlan 3 tagged trk1
```

Some of the links in the aggregated link become blocked.

Which Comware configuration should the administrator apply to the Comware switch to resolve this issue?

- A. interface bridge-aggregation 1 link-aggregation mode dynamic
- B. interface bridge-aggregation 1 link-aggregation type lacp dynamic
- C. interface bridge-aggregation 1 link-aggregation mode static
- D. interface bridge-aggregation 1 link-mode type lacp

Correct Answer: A

---

#### QUESTION 5

A company wants a modular switch for the access layer at its main campus and for several branch offices. Which HP Switch Series is best suited for this role?

- A. HP 11900
- B. HP 12900



C. HP 5900

D. HP 5400R

Correct Answer: C

[Latest HP0-Y52 Dumps](#)

[HP0-Y52 PDF Dumps](#)

[HP0-Y52 Study Guide](#)