



# HP0-Y52<sup>Q&As</sup>

Applying HP FlexNetwork Fundamentals

**Pass HP HP0-Y52 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-y52.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Refer to the exhibit.

Exhibit: HP Comware switch configuration

```
[Sw-A] interface bridge -aggregation 1
[Sw-A-Bridge-Aggregation1] description Connection-to-Distribution-1
[Sw-A-Bridge-Aggregation1] link-aggregation mode dynamic
[Sw-A-Bridge-Aggregation1] quit
[Sw-A] interface g1/0/1
[SW-A-GigabitEthernet1/0/1] port link-aggregation group 1
[SW-A-GigabitEthernet1/0/1] quit
[SW-A] interface g1/0/2
[SW-A-GigabitEthernet1/0/2] port link-aggregation group 1
[SW-A-GigabitEthernet1/0/2] quit
[Sw-A] interface bridge-aggregation 1
[Sw-A-Bridge-Aggregation1] port link-type trunk
[Sw-A-Bridge-Aggregation1] port trunk permit vlan 100 200
```

Based on the exhibit output, which type of link aggregation is this?

- A. dynamic trunk protocol
- B. static trunking
- C. dynamic port group
- D. static LACP

Correct Answer: C

---

### QUESTION 2

What is one difference between the 802.11g and 802.11n standards?


- A. 802.11g can operate on the 5Ghz band.
- B. 802.11n can operate on the 2.4Ghz band.
- C. 802.11n supports multiple spatial streams with MIMO.
- D. 802.11g supports channel bonding of multiple channels.

Correct Answer: C

---

### QUESTION 3

Refer to the exhibit.



Based on the topology shown in the exhibit, which symptom does a network administrator see if the HP switches are in their factory default states?

- A. Mislearned MAC addresses
- B. Unicast storms
- C. Multiple ARP requests
- D. Layer 3 loop

Correct Answer: C

#### QUESTION 4

Which statement correctly defines the management capabilities of an HP MultiService Mobility (MSM) access point (AP)?

- A. The AP only supports controlled mode.
- B. The AP operates in autonomous mode by default, but can be changed to controlled mode.
- C. The AP operates in controlled mode by default, but can be changed to autonomous mode.
- D. The AP only supports autonomous mode.

Correct Answer: C

#### QUESTION 5

Which ProVision configuration includes 10.0.3.0/24, which represents VLAN 30 in OSPF area 0?

- A. vlan 30 ip ospf area 0
- B. vlan 30 area 0



C. interface vlan 30 ip ospf area 0

D. router ospf area 0 vlan 30

Correct Answer: A

[HP0-Y52 PDF Dumps](#)

[HP0-Y52 Study Guide](#)

[HP0-Y52 Braindumps](#)