



HP0-Y52^{Q&As}

Applying HP FlexNetwork Fundamentals

Pass HP HP0-Y52 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-y52.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A network administrator plans to execute show commands as well as make configuration changes. Which HP ProVision privilege role must be assigned to an account for the administrator to do this?

- A. Operator
- B. Administrator
- C. Superuser
- D. Manager

Correct Answer: D

QUESTION 2

Which methods can a network administrator use to upgrade the operating system of an HP ProVision switch? (Select two.)

- A. USB
- B. FTP
- C. SCP
- D. SFTP

Correct Answer: AD

QUESTION 3

Refer to the exhibit.

```
Provision-1(config)# show spanning-tree 1,19,21 instance ist
```

```
<-output omitted-->
```

Port	Type	Cost	Priority	Role	State	Designated Bridge
1	100/1000T	20000	128	Designated	Forwarding	d4c9ef-851680
19	100/1000T	20000	128	Root	Forwarding	d07e28-cec94f
21	100/1000T	20000	128	Alternate	Blocking	d07e28-ced31e

This switch currently assigns all VLANs to Multiple Spanning Tree Protocol (MSTP) instance 0 or the Internal Spanning Tree (IST). Which statement correctly describes interface 21?

- A. The interface is down at Layer 2; it is not available for sending or receiving any traffic.
- B. The interface is an edge port but has received Bridge Protocol Data Units (BPDUs), so it is disabled.



- C. The interface does not forward or accept data traffic, but it is ready to start forwarding if interface 19 fails.
- D. The interface does not support spanning tree; it is possible that it will introduce a loop in the network.

Correct Answer: C

QUESTION 4


An endpoint device requests an address by using DHCP. What is the first message the client sends to initiate this process?

- A. DHCPREQUEST
- B. DHCPQUERY
- C. DHCPDISCOVER
- D. DHCPOFFER

Correct Answer: C

QUESTION 5

Refer to the exhibit.



The physical interfaces for Comware-1 and Comware-2 switches in the exhibit are configured in routed mode and OSPF. Both switches have the three subnets in their routing tables. The administrator wants to use DHCP to assign addressing information to the users. Based on the exhibit, where should the administrator configure DHCP relay?

- A. Comware-1. G1/0/2
- B. Comware-1, G1/0/1
- C. Comware-2. G1/0/2
- D. Comware-2, G1/0/1

Correct Answer: B