



HP2-H39^{Q&As}

Designing and Implementing HP Thin Client Solutions

Pass HP HP2-H39 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp2-h39.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which HP Thin Client can be configured with optional WWAN 3G/4G LTE connectivity?

- A. HPt310
- B. HP t620/t620 PLUS
- C. HPmt41
- D. HPt820

Correct Answer: B

Reference:

<http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA4-5632ENW.pdf>

QUESTION 2

What is the primary purpose of a child repository with HP Device Manager?

- A. To allow users to upload files directly from thin clients
- B. To create a repository within the VDI session
- C. To give the user more space to store payload files
- D. To allow local distribution of payload files at a remote location

Correct Answer: A

Reference:

http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c03898213-1anddocLocale=zh_HK

QUESTION 3

What are the primary ISVs that HP partners with for client virtualization? (Select three.)

- A. Citrix
- B. Microsoft
- C. ATandT
- D. VMware
- E. Cisco
- F. Verizon



Correct Answer: BCF

QUESTION 4

Which statement is true about HP Device Manager?

- A. It is good for testing, proof of concepts, or when there is no server available for centralized management software.
- B. It is not recommended for WAN.
- C. Tasks may be automated for a near zero-touch management system.
- D. It is not recommended for larger deployments.

Correct Answer: A

Reference:

<http://h20195.www2.hp.com/v2/getpdf.aspx/4aa0-4385enw.pdf>

QUESTION 5

How do Windows Embedded and HP ThinPro differ in multi-monitor configurations?

- A. Monitors can have different resolutions with HP ThinPro.
- B. Multiple monitors cannot be used with HP ThinPro.
- C. Monitors can have different resolutions with Windows Embedded.
- D. Local Thin Client configuration is required with Windows Embedded.

Correct Answer: D

Reference: <http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA4-5632ENW.pdf>

[HP2-H39 VCE Dumps](#)

[HP2-H39 Practice Test](#)

[HP2-H39 Braindumps](#)