



HP2-Z32^{Q&As}

Implementing HP MSM Wireless Networks

Pass HP HP2-Z32 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp2-z32.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which 802.11n technology involves a radio transmitting the same data on more than one antenna\`?

- A. channel bonding
- B. band steering
- C. multiple spatial streaming
- D. transmit beam forming

Correct Answer: C

QUESTION 2

Which feature is supported by an MSM720 but not by and MSM760?

- A. The ability to manage up to 200 Aps
- B. Teaming that is enabled through a premium license
- C. Fast roaming that is enabled through a premium license
- D. Multiple ports that you can combine in link aggregation groups

Correct Answer: D

QUESTION 3

Users report that the 802.11n wireless network is extremely slow. The network administrator suspects that the problem is occurring because of a hidden node.

Which mechanism is a solution for this problem?

- A. Short Guard Interval (SGI)
- B. Reduced Inter-Frame Spacing (RIFS)
- C. CTS-to-Self
- D. Carrier sense multiple access with collision avoidance (CSMA/CA)

Correct Answer: B

QUESTION 4

A network administrator maps a network profile with aVLAN ID 512 to the LAN port of an HP MSM765zl Mobility Controller The network administrator configures an IP interface for this profile and intends to contact and manage the



controller

on this interface.

All other settings remain at default.

What is one step that the network administrator must complete before connecting to the controller on its new IP address?

- A. Set the untagged LAN port network interface IP address to none.
- B. Enable Spanning Tree Protocol (STP) on the interface.
- C. Select the new IP interface as an active interface in the Controller ?anagement>; Management tool window
- D. Set the IP interface as the authorized egress VLAN in the default VSC.

Correct Answer: D

QUESTION 5

Which type of 802.11 wireless network provides direct peer-to-peer connection between wireless stations?

- A. Infrastructure network
- B. Ad hoc networkong
- C. In-cell relay networking
- D. Wireless distribution system

Correct Answer: B

[HP2-Z32 PDF Dumps](#)

[HP2-Z32 VCE Dumps](#)

[HP2-Z32 Braindumps](#)