



HP2-Z33^{Q&As}

HP Unified Wired-Wireless Networks and BYOD

Pass HP HP2-Z33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp2-z33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An HP BYOD solution is deployed on a wireless infrastructure. Which components actively participate in the RADIUS authentication process of a user endpoint? (Select two)

- A. HP APs associated with an HP Unified Wireless controller in its default setup
- B. HP Wireless Service Manager (WSM)
- C. HP 830 Switch
- D. HP User Access Manager
- E. HP 830 Access Controller

Correct Answer: AD

QUESTION 2


When does DHCP fingerprinting of endpoints occur within an HP BYOD solution?

- A. when User Access Manager validates the user account
- B. when endpoints access the BYOD registration page
- C. when endpoints obtain an IP address
- D. when endpoints are authenticated

Correct Answer: C

QUESTION 3

Refer to the exhibit.





A company wants to connect a mid-size branch office to their corporate location. An HP 10500/7500 Unified Wired-Wireless module is deployed at the corporate location. A maximum of six HP MSM access points will be deployed at the branch location.


Which HP device meets these customer requirements and is the most cost effective solution for the branch location?

- A. HP 830
- B. HP 870
- C. HP 2920
- D. HP 7500

Correct Answer: A

QUESTION 4

Refer to the exhibit.



Based on the access controller configuration shown in the exhibit, when can newly discovered access points (AP) join this AC?

- A. An AP can automatically join if the controller recognizes the AP serial number
- B. An AP can automatically join if the controller recognizes the AP IP subnet address
- C. An AP can automatically join if the controller recognizes the AP name
- D. An AP can automatically join if the controller recognizes the AP model type

Correct Answer: D

QUESTION 5

A network administrator configures 802.1X authentication on a wireless network set with an HP 830 Unified Wired-Wireless Controller. The administrator configures a RADIUS scheme named radius1 and a Domain scheme name domain1. Which other configuration will enable 802.1X?



- A system-view
dot1x mandatory-domain radius 1
- B system-view
dot1x mandatory-domain domain1
- C system-view
Interface wlan-ess 1
dot1x mandatory-domain domain1
- D system-view
Interface wlan-ess 1
dot1x mandatory-domain radius 1

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

[HP2-Z33 VCE Dumps](#)

[HP2-Z33 Practice Test](#)

[HP2-Z33 Study Guide](#)