

# HP2-Z33<sup>Q&As</sup>

HP Unified Wired-Wireless Networks and BYOD

## Pass HP HP2-Z33 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/hp2-z33.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.geekcert.com/hp2-z33.html

2024 Latest geekcert HP2-Z33 PDF and VCE dumps Download

#### **QUESTION 1**

Which command allows an administrator to access the HP 830 switch CLI from the controller?

- A. oap management-ip 192.168.0.101 module 1
- B. oap connect slot 0
- C. oap management-ip 192.168.0.101 slot 1
- D. oap connect module 0

Correct Answer: B

#### **QUESTION 2**

Which statement is correct about passwords when a network administrator synchronizes User Access Manager (UAM) with an Active Directory server?

- A. Passwords are set but with a different salt value.
- B. Passwords set in the Active Directory must be reset to different values when synchronized with UAM.
- C. Passwords are stored in clear text in UAM.
- D. Passwords are checked against the Active Directory during authentication.

Correct Answer: D

#### **QUESTION 3**

Which components participate in the HP BYOD authentication process? (Select two.)

- A. HTTP agent
- B. Wireless Service Manager (WSM)
- C. User Access Manager DHCP agent
- D. User Access Manager
- E. BYOD portal server

Correct Answer: BD

Reference: http://h20195.www2.hp.com/V2/GetPDF.aspx%2F4AA4-5149ENW.pdf (page 4)

#### **QUESTION 4**



### https://www.geekcert.com/hp2-z33.html

2024 Latest geekcert HP2-Z33 PDF and VCE dumps Download

A customer has an HP BYOD solution based on an HP 830 Unified Wired-Wireless Controller and HP 425 Access Points (APs). To ease the controller adoption of the APs, a VLAN is set up on the corporate LAN. How should this VLAN be configured?

- A. Set the VLAN on the switches between the APs and Comware L3 switch
- B. Set the VLAN as VLAN 1
- C. Set the VLAN on the switches between the APs and 830 wireless controller
- D. Set the VLAN on the switches between the APs and the 830 switch

Correct Answer: A

#### **QUESTION 5**

Which HP Intelligent Management Center (IMC) module can be used to create a user profile that will limit guest access to a specific wireless service?

- A. Endpoint Admission Defense (EAD)
- B. Use Access Manager (UAM)
- C. Wireless Service Manager (WSM)
- D. Guest Access Manager (GAM)

Correct Answer: B

HP2-Z33 VCE Dumps

**HP2-Z33 Exam Questions** 

**HP2-Z33 Braindumps**