



# HP2-Z37<sup>Q&As</sup>

Fast Track - Applying HP FlexNetwork Fundamentals

## Pass HP HP2-Z37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp2-z37.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What is true about the community string used for SNMPv1 and SNMPv2c?

- A. The community string encrypts the SNMP message, but does not hash it, providing for data privacy.
- B. The community string hashes the SNMP message, but does not encrypt it, providing for data integrity.
- C. The community string encrypts and hashes the SNMP message, providing for data integrity and privacy.
- D. The community string is like a password transmitted in cleartext, providing no data integrity or privacy.

Correct Answer: D

### QUESTION 2

Which settings enable a network administrator to use terminal emulation software to interface with an HP Comware switch's auxiliary port?

- A. 9600 bps, 7 data bits, 1 stop bit, no parity, flow control
- B. 14,200 bps, 8 data bits, 1 stop bit, parity, flow control
- C. 9600 bps, 8 data bits, 1 stop bit, no parity, no flow control
- D. 9600 bps, 8 data bits, 1 stop bit, parity, flow control

Correct Answer: C

### QUESTION 3

Refer to the exhibit.

```
ProVision# show ip ospf neighbor
OSPF Neighbor Information
```

Router ID	Pri	IP Address	NbIfState	State	Rxmt QLen	Events	Helper Status
-----	---	-----	-----	-----	----	-----	-----
10.0.0.2	1	10.1.102.2	DR	FULL	0	6	None
10.0.0.1	1	10.1.103.1	DR	FULL	0	6	None

Based on the output shown in this exhibit, which statement is true about the 10.0.0.2 neighbor?

- A. The neighbor is communicating with this switch, but it cannot hold any more routes in its database.
- B. The neighbor is communicating with this switch, and they have exchanged all topology information.
- C. The neighbor has mismatched settings and cannot exchange information with this switch.




D. The neighbor is rejecting communications because it already has its maximum number of neighbors.

Correct Answer: B

#### QUESTION 4

Refer to the exhibit.



Switch-1 is an HP ProVision switch.

A network administrator wants Switch-1 to run Open Shortest Path First (OSPF) and create neighbor relationship on Links 1 and 2. What should the administrator do to accomplish this?

- A. Access the VLAN context for the VLANs assigned to Links 1 and 2, and enable OSPF.
- B. Access the global configuration context, and create OSPF routes to 10.0.1.0/24 and 10.0.2.0/24.
- C. Access the physical interface context for the Link 1 and 2 ports, and enable OSPF.
- D. Access the OSPF area 0 context and specify the networks on Links 1 and 2 (10.0.1.0 0.0.0.255 and 10.0.2.0 0.0.0.255).

Correct Answer: B

#### QUESTION 5

Exhibit1.



Exhibit 2

```
Switch-1(config)# show ip route
```

IP Route Entries						
Destination	Gateway	Vlan	Type	Sub-Type	Metric	Dist.
-----	-----	----	-----	-----	-----	-----
10.0.1.0/24	VLAN101	101	connected		1	0
10.0.2.0/24	VLAN201	201	connected		1	0
10.1.10.0/24	VLAN10	10	connected		1	0
10.1.20.0/24	10.0.1.1	101	static		1	1
127.0.0.0/8	reject		static		0	0
127.0.0.1/32	lo0		connected		1	0

A network administrator wants to create a backup IP route to 10.1.20.0/24 on Switch-1. The backup route should use Link 2, and it should only be used if Link 1 is down. What is the correct setup to accomplish this?

- A. an IP route through 10.0.2.2 with administrative distance 1
- B. an IP route through 10.1.20.1 with administrative distance 1
- C. an IP route through 10.0.2.2 with administrative distance 10
- D. an IP route through 10.1.20.1 with administrative distance 10

Correct Answer: D

[HP2-Z37 PDF Dumps](#)

[HP2-Z37 Practice Test](#)

[HP2-Z37 Study Guide](#)